Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

CALVIN C. REED, LIEUTENANT, U.S.N.

Attached to { ____ Division,
____ Squadron,
____ Flotilla,
U.S. PACIFIC Fleet,
____ Naval District,

Commencing 0001 1 September, 1962,
(zone time and date)

at ADAK, ALASKA,
(location)

and ending 2400 30 September, 1962,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ (Day) _____ (Date) _____ (Month) , 19__

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 1 (Date) SEPT (Month), 19 62

AT/PASSAGE FROM ADAK, ALASKA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	14	3	OVC	29.59	53	52	10	350	ST	49	190	3
02	200	14	2	L	29.60	53	53	10	0	ST	49	190	3
03	200	14	2	OVC	29.59	53	53	10	0	ST	49	190	2
04	180	13	2	OVC	29.64	53	52	10	350	ST	49	185	3
05	165	14	2	L	29.62	53	53	10	0	ST	51	170	3
06	185	15	3	OVC	29.64	53	53	10	0	ST	51	170	3
07	190	18	2	F	29.60	54	54	10	0	ST	52	180	3
08	195	19	2	F	29.61	54	54	10	0	ST	53	180	3
09	200	16	6	BKN	29.63	55	54	8	350	SC	53	180	3
10	200	15	6	BKN	29.64	55	54	8	350	SC	53	180	3
11	170	15	6	BKN	29.64	56	55	8	350	SC	55	170	3
12	175	14	6	BKN	29.64	56	55	8	350	SC	56	180	3
13	180	14	6	BKN	29.65	56	55	8	350	SC	58	180	3
14	185	14	1/2	F	29.65	56	56	10	0	ST	59	180	3
15	190	12	3	OVC	29.66	57	56	10	350	ST	59	185	3
16	220	15	4	OVC	29.70	57	56	10	350	ST	59	185	3
17	220	15	4	OVC	29.68	57	57	10	0	ST	59	185	3
18	210	14	5	SCT	29.70	59	58	5	350	SC	59	180	2
19	200	14	1	BKN	29.73	58	57	6	350	SC	59	180	2
20	195	12	5	OVC	29.76	58	57	9	350	SC	59	185	3
21	210	14	1/2	F	29.80	58	57	10	350	ST	59	180	3
22	210	15	1/4	F	29.82	58	58	10	0	ST	60	185	3
23	215	13	1/4	F	29.83	58	58	10	0	ST	60	190	3
24	200	12	1/4	F	29.83	58	58	10	0	ST	60	190	3

POSITION	ZONE TIME
0800 L 49-48.6N	BY 2
λ 174-34.4W	BY 2
1200 L 49-03.3N	BY 2
λ 173-59.2W	BY 2
2000 L 47-31.8N	BY 2
λ 172-47.1W	BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 0800, 1 SEPT

TO 1906 (ZT), 1 SEPT (Date)

SET 060

DRIFT 1.6 KTS

POSITION BETWEEN FIXES

MID. L 49-22.7

MID. λ 173-21.1

MILES STEAMED 0000-2400: 319.5

FUEL CONSUMED 0000-2400: 3146

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM ADAK, ALASKA TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH COM AL SEA FRON OP-ORD 205-62 BASE COURSE 156° BASE SPEED 13.3 KTS. MATERIAL CONDITION YOKE IS SET THROUGH OUT THE SHIP

J A Rochonne BMI

04-08 UNDERWAY AS BEFORE. 0750 MUSTERED CREW ON STATION
ABSENTEES: NONE

L E Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 SATURDAY (Day) 1 (Date) SEPT (Month), 19 62

08-12 underway as before ~~0750 mustered crew on station~~ ~~absentees none~~ 1045 commenced sounding fog signals 1103 ceased sounding fog signals

C. C. Mann BM1

12-16. Underway as before. 1250 Whistley observed to approximately 2,000 yds. 1255 Commenced fog signals 1300 Exercised the crew at General Quarters. 1303. All stations reported manned and ready. Condition Zebra set. 1345. Held abandon ship drill 1356. Secured from abandon ship drill set Material Condition Yoke. 1357 Secured from General Quarters

J. Hoffpeg CWO USN.

16-20: UNDERWAY AS BEFORE.

W. L. Leeson, ENS, USNR

20-24 UNDER WAY AS BEFORE 2050 COMMENCE SOUNDING FOG SIGNALS

F. A. Delorme BM1

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 2 (Date) SEPTEMBER (Month), 19 62

AT/PASSAGE FROM ADAK ALASKA TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	11	1/4	F	29.83	59	59	10	0	ST	64	190	2
02	170	9	1/4	F	29.85	59	59	10	0	ST	64	190	2
03	165	8	1/4	F	29.86	59	59	10	0	ST	64	190	2
04	165	7	1/4	F	29.86	59	59	10	0	ST	64	180	2
05	170	7	1/4	F/G	29.86	60	60	10	0	ST	64	180	2
06	170	6	1/4	L	29.87	61	61	10	0	ST	64	185	2
07	175	6	1/2	F	29.87	62	62	10	0	ST	64	185	2
08	210	10	1/4	F	29.89	63	63	10	0	ST	64	185	2
09	210	10	1/4	F	29.90	64	63	10	350	ST	64	180	2
10	235	7	1/2	F	29.93	65	64	10	350	ST	65	175	2
11	235	7	1/2	F	29.94	67	66	10	350	ST	66	175	2
12	225	10	1/2	F	29.95	68	67	10	350	ST	68	185	2
13	230	11	1/2	F	29.95	69	68	10	350	ST	70	195	2
14	215	11	1/2	F	29.95	69	68	10	350	ST	70	200	2
15	215	10	5	OVC	29.95	70	69	10	350	ST	70	200	2
16	210	10	6	OVC	29.95	70	69	10	350	ST	70	200	2
17	210	12	6	BKN	29.97	70	69	9	350	SC	72	185	2
18	210	11	6	BKN	29.97	70	69	9	350	SC	72	185	2
19	185	13	6	BKN	29.99	71	70	7	350	SC	75	185	2
20	175	10	6	BKN	30.02	71	70	6	350	SC	76	180	2
21	175	10	4	SCT	30.03	71	70	5	350	SC	76	185	2
22	165	9	3	SCT	30.04	72	71	4	350	SC	76	185	2
23	165	9	3	SCT	30.04	72	71	3	350	SC	76	185	2
24	195	13	3	SCT	30.05	72	71	2	350	SC	76	185	2

POSITION	ZONE	TIME
0800 L	45-11.4N	BY 2
λ	171-18.6W	BY 2
1200 L	44-23.1N	BY 2
λ	170-48.9W	BY 2
2000 L	43-49.8N	BY 1
λ	169-54.3W	BY 1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 0800, 2 SEPT (ZT) (Date)

TO 1900, 2 SEPT (ZT) (Date)

SET 335

DRIFT 0.2 KT

POSITION BETWEEN FIXES

MID. L 44-24.1

MID. λ 170-15

MILES STEAMED 0000-2400: 335

FUEL CONSUMED 0000-2400: 3475

REMARKS

0000-04 UNDERWAY INDEPENDENTLY ENROUTE FROM ADAK, ALASKA TO PEARL HARBOR HAWAII IN ACCORDANCE WITH COMAIRSEA FRON OPORD 205-62. BASE COURSE 156° BASE SPEED 13.3 KNTS. CONDITION YOKE SET THRU OUT SHIP. SOUNDING FOG SIGNALS AND LOW VISIBILITY WATCH SET.

L E Norton
Lieut

04-08 underway as before

C E Mann BM1

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: L L Walker LT U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 2 (Date) SEPTEMBER (Month) 62

08-12. Underway as before. 1044 C/S ~~75 RPM~~. 9.5 kts
1100 C/S ~~80 RPM~~ 12.3 kts. 1102 C/S ~~85 RPM~~. 13.8 kts
1148. Made daily inspection of magazine and smoke generator. Condition normal.

J Griffey CWO USN

12-16. UNDERWAY AS BEFORE 1223 C/S 12.3 KTS. ~~1329 C/S 13.8 KTS.~~
1326 Secured Soundings, Fog Signals. 1329 C/S to 13.8 kts.

W K Swan, ENS, USNR

16-20 UNDERWAY AS BEFORE

F M DeLoura BM1

20-24 UNDERWAY AS BEFORE 2158 C/S TO 13.3 KNTS ~~80 RPM~~.

J E Horton
Ens USN

APPROVED:

C C Reed U.S.N. COMMANDING

EXAMINED:

G. L. Walker Lt USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 3 (Date) SEPTEMBER (Month) 19 62

AT/PASSAGE FROM ADAK ALASKA TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	193	17	3	Sct	30.06	78	71	5	350	Sc	75	170	2
02	193	17	3	Sct	30.06	78	71	5	350	Sc	75	170	2
03	187	18	3	Sct	30.06	73	71	3	700	Sc	75	165	2
04	200	16	6	Sct	30.07	73	71	2	700	Sc	78	165	2
05	200	17	6	Sct	30.07	73	71	2	700	Sc	78	170	2
06	190	16	7	Sct	30.07	73	71	3	700	Sc	77	170	2
07	180	20	7	Sct	30.08	73	71	5	700	Sc	77	170	2
08	155	18	7	Sct	30.10	75	72	5	1050	Sc	77	170	2
09	160	17	7	Sct	30.11	75	73	4	700	Sc	77	170	2
10	160	17	7	Sct	30.13	77	73	4	1400	Sc	77	170	2
11	160	18	7	Sct	30.14	78	73	4	1750	Sc	77	170	2
12	160	17	7	Sct	30.14	78	73	4	1750	Sc	77	170	2
13	165	17	7	Sct	30.14	78	73	4	1750	Sc	78	175	3
14	165	15	7	Sct	30.13	78	73	4	1750	Sc	79	175	3
15	165	14	7	Sct	30.12	78	74	4	1400	Sc	79	180	3
16	175	11	7	Sct	30.10	78	74	3	1400	Cu	80	170	2
17	175	11	7	Sct	30.10	78	74	4	1400	Cu	80	165	2
18	187	9	7	Sct	30.10	78	74	4	1400	Cu	80	140	2
19	137	17	7	Sct	30.10	78	74	4	1400	Cu	80	145	2
20	140	16	7	Sct	30.18	76	73	5	1050	Sc	80	150	2
21	135	16	7	Sct	30.14	76	74	4	700	Sc	80	150	3
22	135	17	7	Sct	30.15	76	74	4	700	Sc	80	145	3
23	190	18	7	Sct	30.15	76	73	4	1050	Sc	80	150	3
24	190	18	7	Sct	30.15	76	73	4	1050	Sc	80	150	3

POSITION	ZONE	TIME
0800 L	40-28.3 N	BY 1
λ	168-22.0 W	BY 1
1200 L	39-49.8 N	BY 1
λ	167-53.3 W	BY 1
2000 L	38-07 N	BY 1
λ	166-55.3 W	BY 1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 0800, 3 SEPT (ZT) (Date)

TO 1900 (ZT) 3 SEPT (Date)

SET 000

DRIFT 0.7 KT

POSITION BETWEEN FIXES

MID. L 39-12.8

MID. λ 168-14.7

MILES STEAMED 0000-2400: 395.5

FUEL CONSUMED 0000-2400: 3049

REMARKS

00-04 Underway independently enroute from Adak Alaska to Pearl harbor off Hawaii in accordance with Com at Sea Frop Op Ord 205-62 Base course 156° Base speed 13.6 KTS Condition "YOKE" set thru out the ship

C.E. Mann BM1

04-08. Underway as before. 0750 Mustered Crew on station; all present and accounted for.

J.C. Huffey and U.S.N.

APPROVED: C C Read U.S.N. COMMANDING

EXAMINED: A. L. Walker LT U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Agnaki (ATF 96) Monday (Day) 3 (Date) September (Month), 19 62

0800-1200: Underway as before. 0830 made daily inspections of magazines and smokeless powder samples; conditions normal.

W. L. Swan, Ens, USNR

1200-1600 Underway as before

T. A. Delaune BM1

1600-2000 Underway As Before

J. E. Horton
Ens USN

2000-2400 underway as before

C. E. Mann BM1

APPROVED:

C. C. Reed U.S.N. COMMANDING

EXAMINED:

J. L. Walker 2d/c U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ADAK (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 4 SEPTEMBER (Day) (Date) (Month), 19 62

AT/PASSAGE FROM ADAK, ALASKA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	20	7	CLR	30.16	76	75	1	350	SC	80	160	3
02	160	18	7	SCT	30.16	76	75	2	350	SC	80	160	3
03	165	16	7	CLR	30.16	76	74	1	700	SC	81	170	3
04	165	15	6	CLR	30.16	77	75	1	700	SC	81	175	3
05	165	15	6	CLR	30.16	77	75	1	700	SC	81	170	3
06	165	15	7	SCT	30.17	77	75	3	700	SC	81	175	3
07	165	15	7	SCT	30.16	77	75	3	700	SC	81	175	3
08	145	14	7	SCT	30.16	78	74	2	1400	SC	81	150	2
09	145	13	7	SCT	30.20	79	75	5	1400	CU	82	150	2
10	150	15	7	BKN	30.20	80	75	6	1750	CU	82	150	2
11	150	12	7	SCT	30.22	81	76	5	1750	CU	82	150	2
12	145	14	7	SCT	30.22	80	76	5	1400	CU	82	145	2
13	130	13	7	BKN	30.22	80	76	6	1400	CU	83	140	2
14	130	14	7	BKN	30.22	80	76	6	1400	CU	83	135	2
15	135	14	7	SCT	30.22	82	77	5	1750	CU	83	135	2
16	130	13	7	SCT	30.21	82	77	5	1750	CU	83	135	2
17	135	11	7	SCT	30.21	82	77	5	1750	CU	83	140	2
18	120	11	7	SCT	30.21	82	77	3	1750	CU	83	140	3
19	155	10	7	SCT	30.22	80	76	2	1400	CU	83	140	3
20	160	10	7	SCT	30.23	80	76	3	1400	CU	83	150	2
21	165	10	5	SCT	30.24	79	76	3	1050	CU	83	150	2
22	160	10	5	SCT	30.25	79	76	3	1050	CU	83	150	2
23	140	9	4	SCT	30.26	79	76	2	1050	SC	83	155	2
24	105	5	4	SCT	30.24	79	76	2	1050	SC	83	155	1

POSITION	ZONE	TIME
0800 L	35-41.5N	BY 1
λ	165-35.6W	BY 1
1200 L	34-56.8N	BY 1
λ	165-08.4W	BY 1
2000 L	33-19.3N	BY 1
λ	164-48.4W	BY 1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	0800, 4 SEPT (ZT) (Date)
TO	1800 (ZT), 4 SEPT (Date)
SET	345
DRIFT	2.5 KTS

POSITION BETWEEN FIXES	
MID. L	35-22.4
MID. λ	165-13.5

MILES STEAMED 0000-2400
339.5

FUEL CONSUMED 0000-2400
3463

REMARKS

00-04 Steaming independently from Adak, Alaska to Pearl Harbor, Hawaii. In accordance with COMALSEA FRON OP ORD 205-62. Base Course 156°, Base speed 13.6 kts ~~RPM 113~~. Material Condition Foxtrot set.

J. E. Hoffer Cmdr U.S.N.

04-08: UNDERWAY AS BEFORE. 0606 4/S TO 14.3 KNOTS. 0750 SET MATERIAL CONDITION ZEBRA IN ENGINEERING SPACES. MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W. E. Simon, ENS, USNR.

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: J. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF96 TUESDAY (Day) 4 (Date) SEPT (Month), 19 62

08-12 UNDERWAY AS BEFORE 0800 COMMENCE MAKING FULL POWER RUN ~~1026 RECEIVED MAGAZINE TEMP. REPORT. NORMAL~~ 1026 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITION: NORMAL

J.A. Jerome BM1

12-16 UNDERWAY AS BEFORE. 1300 EXERCISED CREW AT GENERAL QUARTERS. 1420 SECURED FROM GENERAL QUARTERS. SET CONDITION X VOICE THRU OUT SHIP.

J.E. Hartac
Lcdr USN

16-20 underway as before

C.E. Mann BM1

20-24. Underway as before. 2105 C/S to ~~113 RPM~~. 13.6 knots

Jerry Jeffreys CWO USN.

APPROVED:

C C Reed U.S.N. COMMANDING

EXAMINED:

[signature] 2216 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 5 (Date) SEPTEMBER (Month) 1962

AT/PASSAGE FROM ADAK, ALASKA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	105	5	4	SCT	30.23	78	76	4	700	SC	83	155	1
02	105	5	4	SCT	30.23	78	75	5	1050	SC	83	150	2
03	090	4	4	SCT	30.22	77	75	3	700	SC	83	150	2
04	080	6	6	SCT	30.21	77	74	4	1050	CU	83	130	2
05	085	8	5	SCT	30.20	77	74	5	1050	SC	83	125	2
06	075	8	6	BKN	30.19	77	74	6	1050	SC	83	110	2
07	090	11	7	BKN	30.21	77	74	6	1050	SC	83	110	2
08	110	11	7	BKN	30.22	79	76	6	1050	SC	83	110	2
09	105	14	7	SCT	30.22	80	75	4	1750	SC	83	110	2
10	100	13	7	SCT	30.23	83	80	4	1050	SC	83	110	2
11	100	13	7	SCT	30.23	83	80	4	1050	SC	83	110	2
12	110	13	7	SCT	30.21	83	75	4	2800	SC	83	110	2
13	110	11	7	SCT	30.21	81	76	4	1750	SC	83	115	2
14	105	11	7	BKN	30.19	81	76	8	1750	SC	83	115	2
15	100	10	7	BKN	30.19	80	76	8	1400	SC	83	115	2
16	085	13	7	BKN	30.15	79	75	8	1400	CU	80	115	2
17	055	9	7	BKN	30.15	78	74	8	1400	CU	80	130	2
18	085	13	7	BKN	30.15	79	74	7	1750	CU	80	130	2
19	055	10	6	BKN	30.14	79	74	6	1750	CU	80	125	2
20	060	11	6	BKN	30.15	79	74	6	1750	CC	83	130	2
21	060	10	6	BKN	30.16	79	73	6	2100	CC	83	130	3
22	055	11	6	BKN	30.17	78	73	6	1750	AC	83	115	3
23	055	12	6	BKN	30.16	78	73	7	1750	CU	83	110	3
24	050	10	6	BKN	30.16	78	73	7	1750	CU	83	110	3

POSITION	ZONE	TIME
0800 L 30-52.1 N		BY 1
λ 169-52.3 W		BY 1
1200 L 30-05 N		BY 1
λ 169-31 W		BY 1
2000 L 28-29.8 N		BY 1
λ 161-37.8 W		BY 1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 0800 (ZT) 5 SEPT (Date)

TO 1200 (ZT) 5 SEPT (Date)

SET 310

DRIFT 0.75 KT

POSITION BETWEEN FIXES

MID. L 30-33.6

MID. λ 169-10.4

MILES STEAMED 0000-2400: 331.6

FUEL CONSUMED 0000-2400: 3981

REMARKS

00-04: UNDERWAY INDEPENDENTLY ENROUTE FROM ADAK, ALASKA TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH COMALSEAFRON CPORD 205-62 ON BASE COURSE 156°, BASE SPEED 13.6 KNOTS. READINESS CONDITION V AND MATERIAL CONDITION YOKE ARE SET.

H. H. Savage, ENS, USNR

04-08 UNDERWAY AS BEFORE 0745 ~~Test~~ 0750
MUSTERED CREW ON STATION; ABSENTEES: NONE

J. A. D. Lorme BMI

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 WEDNESDAY (Day) 5 (Date) SEPTEMBER (Month) 19 62

ØØ-12 UNDERWAY AS BEFORE ØØØ1 C/C TO 157° 1ØSØ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS; NORMAL.

J.E. Horton
Ens USN.

12-16 UNDERWAY AS BEFORE 13ØØ EXECISED CREW AT GENERAL QUARTERS 1352 SECURED FROM GENERAL QUARTERS

C.E. Mann BM1

16-20 Underway as before. 1800 Commenced transferring fuel from C-1-F to A-409-F-1827 Secured from transferring 2000 gallons of diesel fuel.

J.E. Hoffes CWO USN.

2Ø-24: UNDERWAY AS BEFORE. 21ØØ C/C TO 158°

W.K. Swan, ENS, USNR

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 6 (Date) SEPT. (Month), 19 62

AT/PASSAGE FROM Adak, Alaska TO Pearl Harbor, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	130	12	7	SCT	30.14	78	75	4	1050	SC	83	130	2
02	100	10	7	SCT	30.15	78	75	4	1050	SC	83	130	2
03	115	12	7	RW	30.13	78	75	5	1050	SC	83	130	2
04	115	11	6	SCT	30.10	77	74	4	1050	SC	83	130	2
05	130	11	6	SCT	30.10	77	74	4	1050	SC	83	125	2
06	100	10	7	SCT	30.09	77	74	4	1050	SC	83	115	2
07	100	10	7	SCT	30.09	77	74	5	1050	SC	84	115	2
08	070	12	7	SCT	30.10	80	73	4	24500	CU	84	100	2
09	079	10	7	BKN	30.11	80	74	6	21000	CU	84	100	2
10	075	10	7	BKN	30.11	80	75	6	17500	CU	84	100	2
11	070	12	7	BKN	30.10	80	75	6	17500	CU	84	110	2
12	055	12	7	BKN	30.10	80	75	6	17500	CU	84	115	3
13	055	12	7	BKN	30.10	80	75	6	17500	CU	84	100	3
14	065	11	7	BKN	30.06	80	75	6	17500	CU	84	100	3
15	095	10	7	BKN	30.05	80	75	6	17500	CU	85	090	3
16	090	10	7	BKN	30.04	80	75	6	17500	CU	85	090	3
17	085	15	7	BKN	30.03	80	75	6	17500	CU	85	090	3
18	085	14	7	BKN	30.03	80	75	7	17500	CU	85	090	3
19	080	10	7	BKN	30.04	78	74	7	14000	CU	85	090	3
20	080	10	7	BKN	30.05	77	74	7	14000	CU	85	085	2
21	085	9	7	BKN	30.04	77	74	7	10500	CU	85	090	2
22	085	9	7	BKN	30.03	76	73	6	10500	CU	85	090	2
23	080	9	6	BKN	30.03	76	73	6	10500	CU	83	085	2
24	095	10	6	SCT	30.03	77	74	5	10500	CU	83	100	2

POSITION	ZONE	TIME
0800 L	55-56.1N	BY 1
λ	160-26.7W	BY 1
1200 L	55-06.6N	BY 12
λ	160-06W	BY 12
2000 L	53-26.5N	BY [illegible]
λ	159-35.2W	BY [illegible]

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 0800 (ZT), 6 SEPT (Date)

TO 1200 (ZT), 6 SEPT (Date)

SET 330

DRIFT 0.7 KT

POSITION BETWEEN FIXES

MID. L 55-34.9

MID. λ 160-10.3

MILES STEAMED 0000-2400: 337.6

FUEL CONSUMED 0000-2400: 3492

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM ADAK, ALASKA TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH COM AL SEA FRONT INSTR OP-ORD 205-62 BASE COURSE 158 BASE SPEED 14.3 KTS. MATERIAL CONDITION YOKE SET THROUGH OUT THE SHIP

F H DeJonne BM1

04-08 UNDERWAY AS BEFORE. 0750 MUSTERED CREW ON STATIONS: ABSENTEES: NONE

J.E. Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R L Walker 4/6 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF96 THURSDAY (Day) 6 (Date) SEPT (Month), 19 62

08-12 UNDERWAY AS BEFORE Ø944 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITION NORMAL

C.E. Mann BM1

12-16 Underway as before. 1300 Exercised the crew at General Quarters. 1305 Commenced Gunnery exercise 1312 Secured from Gunnery Exercise, Expended 9 rounds PJ-3146-C-45 Surface, Malfunctions, None. 1418 Secured from General Quarters. 1545 C/S 14.3 KNOTS.

J.E. Hoffley CWO U.S.N.

16-20: UNDERWAY AS BEFORE.

[illegible], ENS, USNR

20-24 UNDER WAY AS BEFORE 2000 C/S 13.3 KTS 2100 C/C 152° T

F.H. DeLorme BM1

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: [illegible] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 7 (Date) SEPTEMBER (Month), 19 62

AT/PASSAGE FROM ADAK ALASKA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	095	14	6	SCT	30.02	77	74	4	1850	CU	84	100	2
02	110	10	6	SCT	30.00	77	74	4	1050	CU	84	100	2
03	110	10	6	SCT	29.98	75	72	4	1050	CU	84	105	2
04	080	9	7	SCT	29.98	77	73	4	1400	CU	84	090	2
05	095	9	7	SCT	29.98	77	73	3	1400	CU	84	125	2
06	035	3	7	SCT	29.99	76	71	3	1750	CU	84	150	1
07	035	3	7	SCT	29.99	76	71	3	1750	CU	84	150	1
08	040	5	7	SCT	29.99	79	73	3	2100	CU			
09	040	3	7	SCT	30.00	81	74	3	2450	CU			
10	035	2	7	SCT	30.00	84	75	3	3150	CI			
11	035	3	7	SCT	30.00	87	74	3	4550	CC			
12	040	3	7	SCT	29.95	96	78	3	49.00	CC			
13	040	3	7	SCT	29.95	96	78	3	49.00	CC			
14	040	3	7	SCT	29.95	96	78	3	49.00	CC			
15	040	3	7	SCT	29.95	96	79	3	5950	CC			
16	030	7	7	SCT	29.95	96	79	4	5950	CC			
17	025	6	7	SCT	29.95	95	79	4	5600	CI			
18	025	6	7	SCT	29.95	95	79	4	5600	CI			
19	025	6	7	SCT	29.96	83	75	5	2800	AC			
20	025	1	7	SCT	29.96	82	74	5	2500	AC			
21	025	1	7	SCT	29.96	80	74	5	2100	CU			
22	035	1	6	SCT	29.98	78	73	5	1750	CU			
23	035	1	6	SCT	29.98	78	73	5	1750	CU			
24	030	1	6	SCT	29.98	78	72	5	2100	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 106.2

FUEL CONSUMED 0000-2400: 648

REMARKS

ØØ-Ø4 UNDERWAY INDEPENDENTLY ENROUTE FROM ADAK ALASKA TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH COM 16 SEA FRONT OP-ORD 205-62. BASE COURSE 152° BASE SPEED 13.3 KNTS CONDITION YOKE SET THRU OUT SHIP. Ø355 SIGHTED KAENA POINT LIGHT BEARING 137° 18 MILES.

H C Horton
Ens USN

Ø4-Ø8 underway as before ~~Ø355 sighted Kaina Point light BRG 137° Dist Approx 18 miles~~ 0544 passed Kaina Point light abeam to port Dist. approx. 5½ miles 0609 sighted Barbers point light BRG. 129° Dist Approx 14½ miles 0753 shifted steering control to secondary conning station 0707 C/C to 105° 0715 mustered crew on station absentees (none) 0726 C/C to 080° 0728 C/C to 075° 0741 C/C to 079° 0750 shifted steering control to bridge

C. L. Thomas Jr

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: L L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY 7 SEPTEMBER 19 62
(Day) (Date) (Month)

08-12. Underway as before. 0807 ~~Shifted motor Control to bridge speed (110 RPM.) 13.3 kts.~~ 0812 C/S ~~75 RPM~~ 9.5 kts. 0814 C/S ~~93 R.P.M.~~ 11.8 kts. 0816 Set special sea and anchor detail. 0819 Entered inland waters C/C 335°. 0823 C/C 336°. 0824 OOD Cenning, Captain and Navigator on the bridge, Commenced steering various courses at various speed conforming to Pearl Harbor Channel. 0825 Passed buoy No (2) abeam to starboard approx 700 yds. 0829 Passed buoy No (4) abeam to stbd approx 200 yds. 0832 Passed buoy No (6) abeam to starboard approx 150 yds. 0837 ~~Lighted off~~ Degaussing. 0844 Passed buoy No (6) abeam to starboard 150 yds. Secured degaussing, passed degaussing range satisfactory 0846 Passed buoy (26) abeam to starboard approx 100 yds. 0848 Passed buoy (27) abeam to starboard approx 65 yds. 0852 Secured radar. 0859 Captain relieved CWO Hoffey of Conn. 0903 Maneuvering at various courses and speeds to moore port side to pier Henrico 17 at U. S. Naval Submarine Base Pearl Harbor, Hawaii. 0906 Moored. 0920 Secured special sea and anchor detail - set in-port watch. 0935 Shifted from ships power to shore power. 0946 Secured master Sperry Compass. 1105. Made daily inspection of magazines and smokeless powder samples; Condition normal. Made weekly test of magazine sprinkler system; Condition: Satisfactory

J. E. Hoffey CWO U.S.N.

12-16: MOORED AS BEFORE. 1210 COMMENCED TAKING ON FUEL; DRAFT FWD: 12'6", AFT: 16'7". 1404 SECURED FROM TAKING ON FUEL; DRAFT FWD 13'0", AFT 16'9". TOOK ON 17,682 GALLONS DIESEL FUEL.

H. C. Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1830: MUSTERED THE IN-PORT FIRE PARTY.

H. C. Swan, ENS, USNR

20-24: MOORED AS BEFORE.

H. C. Swan, ENS, USNR.

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: E. L. Walker Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 8 SEPTEMBER, 19 62
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	1	6	SCT	29.96	77	72	5	1750	CU			
02	025	2	6	SCT	29.96	77	72	5	1750	CU			
03	030	2	6	SCT	29.95	77	72	5	1750	CU			
04	025	3	6	SCT	29.95	76	73	4	1050	CU			
05	025	1	6	SCT	29.95	76	73	4	1050	CU			
06	035	2	6	OVC	29.96	78	73	10	1750	CU			
07	0	0	7	BKN	29.96	75	74	8	350	SC			
08	0	0	7	BKN	29.98	77	74	7	1050	SC			
09	0	0	7	BKN	29.96	80	76	7	1400	SC			
10	0	0	7	BKN	29.96	81	77	7	1400	SC			
11	010	3	7	BKN	29.99	86	77	7	3150	SC			
12	010	3	7	BKN	29.99	86	77	7	3150	CU			
13	020	4	7	BKN	29.99	85	77	7	2800	CU			
14	035	3	7	BKN	29.90	88	78	7	3500	CU			
15	035	3	7	BKN	29.90	90	80	7	3500	CU			
16	035	5	6	BKN	29.90	88	81	8	2450	CU			
17	040	5	6	BKN	29.90	85	76	8	3150	CU			
18	040	6	6	L	29.89	82	79	8	1050	SC			
19	040	6	6	BKN	29.89	80	77	8	1050	SC			
20	040	5	6	BKN	29.89	80	77	8	1050	SC			
21	040	5	5	OVC	29.88	79	77	9	700	ST			
22	035	5	5	R	29.87	79	78	10	350	ST			
23	040	4	5	OVC	29.87	79	77	9	700	ST			
24	040	2	5	OVC	29.90	77	74	9	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 55

REMARKS

00-04: MOORED PORT SIDE TO BERTH S-17 AT ~~PEARL~~ (NSC) U.S. NAVAL SUBMARINE BASE, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET. RECEIVING ELECTRIC POWER, FRESH WATER, AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. L. SWOM, ENS, USNR.

04-08: MOORED AS BEFORE.

W. L. SWOM, ENS, USNR

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker 2456 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 8 (Date) SEPTEMBER (Month) 19 62

08-12. Moored as before. 0800 Mustered ship's crew on station; absentees none. 1020 Made daily inspection of magazine and smokeless powder samples; Condition normal.

J.E. Hoffey. CWO. U.S.N.

12-16. Moored as before.

J.E. Hoffey CWO U.S.N.

16-20 Moored as before. 1800 Set material condition "Yoke".

J.E. Hoffey CWO. U.S.N.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: A. L. Walden 2d U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 9 SEPTEMBER 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	5	OVC	29.90	76	74	9	700	SC			
02	040	1	5	OVC	29.90	76	74	9	700	SC			
03	040	1	5	OVC	29.90	75	74	9	350	SC			
04	040	1	5	BKN	29.90	75	74	6	350	SC			
05	040	1	5	SCT	29.90	74	74	5	700	SC			
06	040	1	5	SCT	29.90	76	74	5	700	SC			
07	040	1	5	SCT	29.90	77	75	4	700	SC			
08	110	2	5	SCT	29.90	77	75	5	700	SC			
09	110	4	5	BKN	29.91	78	75	6	1050	SC			
10	110	4	6	BKN	29.91	78	75	6	1050	SC			
11	090	1	7	BKN	29.91	82	75	6	2450	SC			
12	090	5	7	SCT	29.91	82	74	5	2800	SC			
13	090	7	7	BKN	29.90	83	74	6	3150	CU			
14	090	10	7	BKN	29.90	83	74	7	3150	CU			
15	210	3	6	BKN	29.90	80	77	8	1050	CU			
16	210	2	7	SCT	29.90	80	77	5	1050	CU			
17	210	2	7	SCT	29.90	80	77	5	1050	CU			
18	205	1	7	BKN	29.91	80	78	7	700	SC			
19	205	1	7	BKN	29.91	79	78	7	350	SC			
20	190	1	6	SCT	29.91	78	77	5	350	SC			
21	190	1	6	SCT	29.91	77	75	4	700	SC			
22	170	1	5	SCT	29.91	76	75	3	350	SC			
23	155	1	5	SCT	29.91	75	74	3	350	SC			
24	155	1	5	SCT	29.91	74	73	3	350	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 35

REMARKS

00-04. Moored port side to Pier Sierra 17 at U.S. Naval Submarine Base Pearl Harbor, Hawaii, with standard nylon mooring lines doubled. Receiving electrical power, fresh water and telephone service from pier. Material Condition Yoke set. Ships present include ships and units of the U.S. Pacific Fleet, yard and district craft. A.C.O.S.A. is Commander in Chief U.S. Pacific Fleet.

J.E. Hoffey CWO U.S.N.

04-08. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: R.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 9 (Date) September (Month), 19 62

08-12 Moored as before 0806 Mustered the crew on stations; Absentees: none. 1000 Made daily inspection of magazine and ammunition powder samples; Condition: normal.

R. L. Walker
LtJG USN

12-16 Moored as before.

R. L. Walker
LtJG USN

16-20 Moored as before. 1800 Set Condition Yoke throughout the ship.

R. L. Walker
LtJG USN

20-24 Moored as before.

R. L. Walker
LtJG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 10 SEPTEMBER (Day) (Date) (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	1	5	SCT	29.91	73	72	3	350	SC			
02	160	1	5	SCT	29.91	72	71	3	350	SC			
03	160	1	5	SCT	29.91	72	71	3	350	SC			
04	160	1	5	SCT	29.92	71	70	3	350	SC			
05	155	1	5	SCT	29.92	71	70	2	350	SC			
06	155	1	5	SCT	29.92	71	70	2	350	SC			
07	155	1	5	SCT	29.93	72	71	3	350	SC			
08	130	3	7	SCT	29.93	75	74	3	350	SC			
09	120	4	7	SCT	29.94	80	76	3	1400	CU			
10	100	5	7	SCT	29.94	85	78	4	2450	CU			
11	100	5	7	SCT	29.94	86	78	4	2100	CU			
12	030	10	7	SCT	29.94	89	79	4	3500	CC			
13	030	10	7	SCT	29.94	90	78	4	49200	CI			
14	030	10	7	SCT	29.94	89	77	2	49200	CI			
15	030	5	7	SCT	29.94	92	79	2	49850	CI			
16	030	5	7	SCT	29.94	95	79	3	5600	CI			
17	025	5	7	SCT	29.94	95	79	3	5600	CI			
18	015	5	7	SCT	29.93	94	80	5	49350	CC			
19	0	0	7	SCT	29.93	93	80	5	47600	CC			
20	0	0	6	SCT	29.99	87	80	3	2450	CU			
21	0	0	6	SCT	29.99	84	77	3	2450	AC			
22	0	0	6	SCT	29.99	80	75	3	1750	CU			
23	0	0	6	SCT	29.99	79	75	3	1400	CU			
24	030	2	6	SCT	29.99	80	75	2	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 175

REMARKS

00-04 Moored port side to berth S-17 forward U. S. Naval Station Pearl Harbor Hawaii with standard mooring line doubled. Material Condition Yoke is set throughout the ship. Receiving fuel water, electrical power and telephone service from the pier. Ships present include units of the U. S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Flt.

G. L. Walker
LTJG USN

04-08 Moored as before. 0745 Mustered the crew at quarters; Absentees: none.

G. L. Walker
LTJG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G. L. Walker U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 10 (Date) SEPTEMBER (Month) 19 62

Ø8-12 MOORED AS BEFORE. Ø826 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. 1105 BROADBENT, M.K SN PLACED ON BINNACLE LIST: DG PNEUMONITIS

J E Horton
Ens USN

12-16 MOORED AS BEFORE

J E Horton
Ens USN

16-2Ø MOORED AS BEFORE 18ØØ SET CONDITION YOKE THRU OUT SHIP

J E Horton
Ens USN

2Ø-24 MOORED AS BEFORE.

J E Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: J. L. Walker 4/5/6 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 11 (Date) SEPTEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	6	SCT	29.99	79	74	2	1750	CU			
02	0	0	6	SCT	29.98	78	74	1	1400	CU			
03	0	0	6	SCT	29.98	79	75	2	1400	CU			
04	0	0	6	SCT	29.97	79	75	3	1400	CU			
05	035	1	6	SCT	29.97	79	75	3	1400	CU			
06	0	0	7	SCT	29.99	79	75	4	1400	CU			
07	0	0	7	SCT	29.99	79	75	4	1400	CU			
08	045	3	7	SCT	29.98	83	76	4	2450	CU			
09	045	3	7	SCT	29.98	85	77	4	2800	AC			
10	040	4	7	SCT	29.99	86	76	4	3500	AC			
11	035	5	7	SCT	30.00	87	75	4	4200	CC			
12	035	5	7	SCT	30.00	88	74	3	4900	CC			
13	040	4	7	SCT	30.00	88	74	3	4900	CI			
14	040	5	7	SCT	29.99	89	75	3	4900	CI			
15	045	5	7	SCT	29.99	90	76	3	4900	CC			
16	080	9	7	SCT	29.98	85	76	3	3150	CC			
17	070	11	7	SCT	29.96	81	75	2	2100	CU			
18	070	10	7	SCT	29.96	80	75	2	1750	CU			
19	065	10	7	SCT	29.96	79	75	2	1400	CU			
20	060	10	6	SCT	29.97	78	75	5	1050	CU			
21	060	10	6	BKN	29.97	78	75	8	1050	CU			
22	060	10	6	BKN	29.98	79	75	8	1400	CU			
23	060	14	6	BKN	29.99	79	75	8	1400	CU			
24	060	18	6	SCT	29.98	79	75	5	1400	CU			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L 20-21.8N		BY 2
λ 158-21.1W		BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 199.6

FUEL CONSUMED 0000-2400: 788

REMARKS

00-04 MOORED PORT SIDE TO SIERRA SEVENTEEN, SUBMARINE BASE PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED RECEIVING ELECTRICAL POWER, FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. CONDITION YOKE SET THRUOUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Horton
Ens USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS
ABSENTEES: NONE.

J E Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R L Walden LT U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 11 (Date) SEPTEMBER (Month) 19 62

0800-1200 MOORED AS BEFORE. 0845 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. LTJG WALKER HAS THE CONN. 0854 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL 0907 UNDERWAY FROM BERTH SIERRA 17 TO LOCAL OPS AREA. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL 0947 ENS HORTON HAS THE CONN. 0957 SECURED SPECIAL SEA DETAIL. COMMENCED EXERCISING CREW AT GENERAL QUARTERS. C/C TO 153° C/S TO A/FLANK 1009 C/C TO 100° 1022 C/S TO 9.5 KNTS. 1035 C/C TO 316° 1110 SECURED FROM GENERAL QUARTERS. SET SPECIAL SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE, ENS HORTON HAS THE CONN. 1117 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1123 MANEUVERING AT VARIOUS SPEEDS ON VARIOUS COURSES TO APPROACH ASSIGNED BERTH. 1130 MOORED PORT SIDE TO BERTH ALPHA TWO (2) PEARL HARBOR, HAWAII - WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM PIER. 1141 SECURED SPECIAL SEA DETAIL.

T E Horton
Ens USN.

1200-1600 MOORED AS BEFORE. 1510 SET SPECIAL SEA DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. CAPTAIN HAS THE CONN. 1519 MANEUVERING JEN ~~ON~~ TO CLEAR BERTH ALPHA TWO (2) US NAVAL STATION, PEARL HARBOR HAWAII 1522 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM SENTO ~~PEER~~ PEARL HARBOR CHANNEL 1527 CWO HAFFEY HAS THE CONN. 1537 PASSED BOUY ONE (1) ABEAM TO STBD APROX. 300 FT ON COURSE 156 SPEED 9.5 KNTS. 1538 SECURED SPECIAL SEA DETAIL. 1539 C/S TO 13.8 KNTS. 1544 ENTERED INTERNATIONAL WATERS 1545 C/C TO 14.3 KNTS. 1548 C/C TO 205°

J E Haffey CWO U.S.N.

1600-2000: UNDERWAY AS BEFORE. 1909 MUSTERED READY LIFEBOAT PARTY. 1931 C/C TO 190°: 1933 C/C TO 170°: 1937 C/C TO 165°. 1946 C/C TO 167°.

H E Johnson, ENS, USNR

2000-2400 UNDERWAY AS BEFORE TO RENDEZVOUS WITH USS PRINCETON (LPH-5) 2005 C/C TO 174° 2010 C/C TO 060 C/S TO 5 KNTS. 2016 JOINED RENDEZVOUS WITH USS PRINCETON (LPH-5) AND TOOK STATION WITH GUIDE IN USS PRINCETON BEARING 235° DISTANCE 1560 YDS ON BASE COURSE 060°

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: J. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 11 (Date) SEPTEMBER (Month), 19 62

2ϕ-24 (CONTINUED) BASE SPEED 5 KNTS. 2105 C/BASE COURSE TO ϕ95° 2111 C/BASE COURSE TO 136° 2147 RELEASED BY USS PRINCETON (LPH-5) C/S TO 14.3 KNTS C/C TO ϕ15° 2135 C/S A/STOP TOOK NUMBER ONE MAIN GENERATOR OUT OF PROPULSION LOOP. 2136 C/S A/13.3 KNTS. 2206 C/S A/8 KNTS 2208 C/S A/STOP TOOK NUMBER 3 AND 4 MAIN GENERATOR OUT OF PROPULSION LOOP. 2209 C/S A/8 KNTS.

JE Horton
Lcdr USN.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 12 (Date) SEPTEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	16	6	SCT	29.98	79	75	5	1400	CU	84	060	3
02	060	14	6	SCT	29.98	78	75	4	1650	CU	84	060	3
03	060	14	6	SCT	29.97	78	75	4	1050	CU	84	060	3
04	065	15	6	SCT	29.97	77	74	4	1050	CU	84	060	3
05	065	14	6	SCT	29.96	77	74	5	1050	CU	84	060	3
06	060	12	6	BKN	29.96	78	74	6	1400	CU	84	060	3
07	065	15	7	BKN	29.97	78	75	6	1050	CU	84	065	3
08	075	17	7	BKN	29.97	79	75	8	1400	CU	84	065	3
09	075	17	7	BKN	29.96	81	76	8	1750	CU	84	065	3
10	070	19	7	BKN	29.95	82	76	6	2100	CU	84	065	3
11	070	19	7	SCT	29.95	84	78	5	2100	CU	84	065	3
12	070	18	7	SCT	29.95	84	78	5	2100	CU	85	065	3
13	070	18	7	SCT	29.95	84	79	4	1750	CU	85	065	3
14	065	17	7	SCT	29.95	86	79	4	2450	CC	85	060	3
15	060	15	7	SCT	29.95	88	80	5	2800	CC	85	060	3
16	060	15	7	SCT	29.95	87	80	5	2450	CC	85	060	3
17	055	17	7	BKN	29.95	85	78	6	2450	CC	85	060	2
18	055	17	7	BKN	29.96	84	78	6	2100	CC	85	060	2
19	055	12	7	SCT	29.96	81	77	5	1400	CU	85	060	2
20	060	11	6	SCT	29.95	80	76	5	1400	CU	85	060	2
21	060	12	6	SCT	29.96	79	75	4	1400	CU	85	060	2
22	060	11	6	SCT	29.97	79	75	3	1400	CU	85	060	2
23	065	10	6	SCT	29.97	78	75	3	1050	CU	85	060	2
24	065	10	6	SCT	29.97	78	75	3	1050	CU	85	060	2

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L 20-56.4 N	BY	2
λ 155-12.1 W	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 166.4

FUEL CONSUMED 0000-2400: 12749

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM OP-AREA TO PEARL HARBOR HAWAII IN ACCORDANCE WITH FTG OP-ORD 37-62. BASE COURSE 015° BASE SPEED 8 KNTS. MATERIAL CONDITION YOKE SET THRU OUT SHIP.

J E Horton
ENS USN

04-08 Underway as before. 0455 C/C 048°. 0536 C/S 14.3 kts 0614 C/C 036°. 0621 Commenced making preparations for entering port. 0623 C/C 040°. 0633 C/C 035° 0634 C/C 030°. 0635 C/C 026°, 0636 C/C 010°, 0639 Retained the special sea and anchor details, steering various courses and speeds to conform with ~~entering~~ Pearl Harbor Channel. Captain and Navigator on the bridge (CONN) Jr.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: A L Walter LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 12 (Date) SEPTEMBER (Month) 19 62

0400-0800 (CONT.) 0613 PASSED BOUY # 2 ABEAM TO STARBOARD, APPROXIMATELY 200 FT. 0645 SHIFTED ENGINE CONTROL TO THE BRIDGE. 0653 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL, AND TO MOOR PORT SIDE TO BERTH A-2, U.S. NAVAL STATION, PEARL HARBOR, HAWAII. 0659 MOORED PORT SIDE TO BERTH A-2 WITH STANDARD MOORING LINES. 0705 YTL-166 BROUGHT SERIES HØ TARGET SLED ALONGSIDE TO STARBOARD. 0713 ~~SET~~ SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0745 HHS MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

J E Stuffey CWO USN

0800-1200: MOORED AS BEFORE. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1048 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1105 UNDERWAY FROM BERTH A-2 IN ACCORDANCE WITH FLETRAGRU PEARL WEEKLY OPORD 37-62 WITH S-40 SLED IN TOW. CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE. 1106 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL; PAYING OUT THE TOW WIRE. 1133 COMMENCED STREAMING TARGET TO 300 FT. 1134 C/S TO 11.3 KTS; STREAMING TARGET TO 600 FT. 1136 PASSED SEA BOUY #1 ABEAM TO STARBOARD, APPROXIMATELY 200 FT. C/C TO 160°. 1140 C/S TO 6.7 KNOTS. 1141 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET THE TOWING WATCH. 1142 C/C TO 175°. 1145 C/S 7.7 KTS. C/C TO 180°; 1148 C/C 203° C/S TO 12.3 KTS. 1150 ENTERED INTERNATIONAL WATERS. 1151 C/S TO 13.3 KTS. 1153 TARGET STREAMED TO 9000 FT ON THE BRAKE.

J E Stuffey CWO USN.

1200-1600: UNDERWAY AS BEFORE. 1349 C/C TO 250°. 1357 C/C TO 180°. 1400 C/S TO 12.3 KTS. 1403 STREAMED TARGET TO 3600 FT. 1415 C/S TO 6.7 KTS. 1419 COMMENCED SCHEDULED EXERCISE Z-21-G, USS TAWAKONI (ATF-114) OCE, ON BASE COURSE 180°, BASE SPEED 6.7 KNOTS. 1432 SECURED FROM EXERCISE Z-21-G. 1441 COMMENCED EXERCISE Z-27-G, USS TAWAKONI (ATF-114) OCE, ON BASE COURSE 180°, SPEED 6.7 KNTS. 1445 SECURED FROM EXERCISE Z-27-G. 1525 COMMENCED EXERCISE Z-21-G, USS TOMBIGBEE (AOG-11) OCE, ON BASE COURSE 180°, SPEED 6.7 KTS. 1536 SECURED FROM EXERCISE Z-21-G. 1542 COMMENCED EXERCISE Z-27-G, USS TOMBIGBEE (AOG-11) OCE, ON BASE COURSE 180°, BASE SPEED 6.7 KNOTS.

W C Swan, ENS, USNR.

1600-2000 UNDER WAY AS BEFORE 1607 COMMENCED EXERCISE Z 27-G WITH USS TOMBIGBEE (AOG11) 1619 COMPLETED Z 27-G WITH USS TOMBIGBEE (AOG11) 1624 COMMENCE HEAVING IN TARGET TO 600 FEET 1636 600 FEET OF TOW WIRE ON THE BRAKE 1645 C/C 000° 1830 C/C 055°

F R A Delorme

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: A L Walker U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 12 (Date) SEPTEMBER (Month), 62

2Ø-24: UNDERWAY AS BEFORE, 2Ø3Ø BARBERS POINT LIGHT SIGHTED BEARING 349° ALOHA TOWER SIGHTED BEARING Ø31°. BOTH LIGHTS APPROXIMATELY 17 MILES.

T E Harton
Ens USN

APPROVED:

C C Reed U.S.N. COMMANDING

EXAMINED:

E L Walker Lt/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 13 (Date) SEPTEMBER (Month), 1962

~~AT~~/PASSAGE FROM Pearl Harbor, Hawaii TO Operating Areas Oahu

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	22	7	SCT	29.95	78	74	4	1400	CU	84	065	3
02	085	20	7	SCT	29.94	77	74	3	1050	CU	84	070	3
03	085	20	7	SCT	29.93	77	74	3	1050	CU	84	070	3
04	090	18	7	SCT	29.92	77	74	3.	1050	CU	84	080	3
05	095	16	7	SCT	29.93	77	74	3	1050	CU	84	080	3
06	075	14	7	SCT	29.93	77	74	4	1050	CU	84	080	3
07	075	14	7	SCT	29.94	78	75	4	1050	CU	84	085	3
08	070	15	7	SCT	29.96	79	76	4	1050	CU	84	075	3
09	070	14	7	SCT	29.97	80	76	4	1400	CU	84	075	3
10	070	13	7	SCT	29.97	80	76	3	1400	CU	84	075	3
11	065	13	7	SCT	29.97	81	77	3	1400	CU	84	065	3
12	085	19	7	SCT	29.95	80	75	2	1750	CU	84	075	3
13	085	19	7	SCT	29.93	81	76	2	1750	CU	84	075	3
14	085	19	7	SCT	29.92	81	76	3	1750	CU	84	075	3
15	095	20	7	SCT	29.91	80	75	3	1750	CU	84	075	2
16	090	18	7	SCT	29.92	81	75	4	2100	CU	84	080	2
17	090	13	7	SCT	29.93	79	73	4	2100	CU			
18	090	10	7	SCT	29.93	79	73	4	2100	CU			
19	090	7	7	SCT	29.93	79	73	4	2100	CU			
20	060	4	6	SCT	29.94	79	73	4	2100	CU			
21	055	4	6	SCT	29.95	79	73	4	2100	CU			
22	060	7	6	SCT	29.96	79	72	5	2450	CU			
23	050	7	6	BKN	29.96	78	71	7	2450	CU			
24	050	6	6	BKN	29.96	78	71	7	2450	CU			

POSITION	ZONE	TIME
0800 L 20-52.4 N	BY	2
λ 158-23.1 W	BY	2
1200 L 20-53.1 N	BY	2
λ 158-25 W	BY	2
2000 L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 0800, 13 SEPT (ZT) (Date)

TO 1900 (ZT) 13 SEPT (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 156.6

FUEL CONSUMED 0000-2400: 1297

REMARKS

00 to 04 underway indepently in Oahu Op. area B.P. in accordance with FTG OP-ORD 37-62 Base course 055° Base speed 6.7 KTS 50 RPM. material condition "YOKE" is set Thru out 0146 C/C to 060° 0303 C/S to 7.7 KTS 0307 C/S to 8.9 KTS commenced to reversing course 0311 C/S to 10.1 KTS 0316 C/S to 11.3 KTS 0320 steady on course 230° 0332 C/S to 10.1 KTS

C.E. Mann BM1

04-08: UNDERWAY AS BEFORE. 0618 SIGHTED USS PRINCETON (LPH-5) BEARING 227°, RANGE APPROXIMATELY 9 MILES. 0650 C/C TO 000°. 0655 C/S TO 6.7 KTS. 0659 COMMENCED STREAMING TARGET TO 3600 FEET. 0709 TARGET STREAMED TO 3600 FEET; ON THE POG. 0737 C/C TO 270°.

W. E. Swan, EMC, USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LCDR U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 13 (Date) September (Month), 19 62

08-12 Underway as before. 0808 Mustered the crew on station, absentee: none. 0809 C/c to 220° C/s to 7.7 kts. 0810 Made daily inspection of magazine and smokeless powder samples: Condition: normal. 0837 Commenced Z-25-6 with U.S.S. Princeton (LPH-5) 0840 C/c to 240° C/s to 11.3 kts. 0844 C/c to 200° 0846 C/c to 220° C/s to 7.7 kts. 0914 C/c to 240° Completed exercise Z-25-6. 0917 to 040° C/s to 11.3 kts 0928 C/s to 6.7 kts. 0943 Commenced exercise Z-27-6 with Princeton 1022 Completed exercise Z-27-6 with Princeton 1043 Commenced exercise Z-27-6 with U.S.S Savage (DER 386) 1128 Completed exercise Z-27-6 with Savage. 1131 C/c to 065° 1146 C/s to 9.0 kts. 1158 C/s to 6.7 kts

A.L. Walker
LT/G USN

12-16 Underway as before. 1232 C/s to 9.5 kts. 1302 Commenced Z-24-6 with U.S.S. McCain (DDL-3). 1423 Completed Z-24-6 with McCain. C/s to 6.7 kts. 1427 C/s to 7.7 kts 1430 Heaved target in to 900 feet. 1431 C/s to 5.2 kts 1438 to 10.1 kts 1446 C/c to 026° C/s to 12.3 kts.

A.L. Walker
LT/G USN

16-20 Underway as before. 1622 C/s to 13.3 kts 1631 C/c to 033° 1637 C/c to 055° 1640 C/c to 065° 1651 C/c to 035° 1659 C/s to 10.1 kts 1704 C/c to 020° 1709 C/c to 000° C/s to 7.7 kts 1714 C/c to 350° Heaved target sled in to 300 feet. Set the Special Sea and Anchor Detail. Captain and Navigator to the bridge. 1720 Passed buoy Number 2 abeam to starboard, range 250 feet. Steering various courses at various speeds to conform with Pearl Harbor Channel and moor berth A-3. 1731 Passed target to YTB 166 1752 Moored starboard side to berth A-3, U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. 1757 Secured the Special Sea Detail. Set Inport watch. 1800 Set Material Condition York throughout the ship.

A.L. Walker
LT/G USN

20-24 Moored as before.

A.L. Walker
LT/G USN

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: A.L. Walker LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday 14 September, 19 62
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	3	6	Sct	29.95	78	71	4	2450	CU			
02	040	3	6	Sct	29.95	78	72	4	2100	CU			
03	040	3	6	Sct	29.95	78	72	4	2100	CU			
04	040	3	6	Sct	29.94	78	72	4	2100	CU			
05	040	3	6	Sct	29.94	78	73	4	1750	CU			
06	040	3	7	Sct	29.94	78	73	4	1750	CU			
07	040	3	7	Sct	29.94	79	74	4	1750	CU			
08	040	3	7	Sct	29.96	81	74	3	2450	CU			
09	045	3	7	Sct	29.96	84	75	3	3150	CC			
10	090	10	7	Sct	29.97	84	76	3	2800	CC	81	110	2
11	070	15	7	Sct	29.96	83	74	3	3150	CC	81	100	2
12	070	15	7	Sct	29.96	83	74	3	3150	CC	81	100	2
13	075	19	7	Sct	29.94	83	74	3	3150	CC	81	100	2
14	080	19	7	Sct	29.93	79	72	3	2450	CC	81	090	2
15	095	15	7	Sct	29.92	79	74	3	1750	CU	81	085	2
16	075	4	7	Sct	29.92	83	74	3	3150	CC			
17	065	4	7	Sct	29.92	83	74	3	3150	CC			
18	060	4	7	Sct	29.94	83	74	3	3150	CC			
19	050	2	7	Sct	29.95	78	71	3	2450	CC			
20	045	4	7	Sct	29.97	78	76	3	700	SC			
21	035	4	7	Sct	29.97	78	76	3	700	SC			
22	030	4	6	Sct	29.97	77	75	3	700	SC			
23	025	4	6	Sct	29.97	77	75	3	700	SC			
24	020	3	6	Sct	29.98	77	75	3	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 444.6

FUEL CONSUMED 0000–2400: 379

REMARKS

00-04 Moored starboard side to berth A-3 U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. Material Condition Yoke in set throughout the ship. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Circ Bu 94.

R. L. Walker
LT(jg) USN

04-08 Moored as before. 0750 Manned the crew ~~or~~ at stations gyro: Celestial: none.

R. L. Walker
LT(jg) USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LT(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 FRIDAY (Day) 14 (Date) SEPTEMBER (Month) 19 62

0800-1200 MOORED AS BEFORE 0910 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL 0930 SET SPECIAL SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. LTJG WALKER HAS DECK AND CONN. 0939 UNDERWAY FROM BERTH ALFA THREE TO LOCAL OPS AREA MANUVERING ON VARIOUS COURES & VARIOUS SPEEDS TO CLEAR BERTH AND TO CONFORM WITH PEARL HARBOR CHANNEL 1001 SECURED SPECIAL SEA AND ANCHOR DETAIL SET UNDERWAY WATCH 1002 C/C 120° C/S A/FULL ~~90 R.P.M.~~ 12.3 Kts 1007 C/S ~~75 R.P.M.~~ 9.5 Kts 1048 C/C 280° C/S ~~75 RPM~~ 9.0 Kts. 1050 C/C 210° C/S ~~90 RPM~~ 11.3 Kts 1054 C/C 280° C/S ~~75 RPM~~ 6 Kts. 1056 COMMENCE EXERCISE Z-16-CC WITH USS MAURY (AGS 16) ~~C/S 75 RPM~~ F/H 0 3 Kts. 1141 COMPLETED EXERCISE Z-10-CC WITH USS MAURY (AGS 16) C/S 3 KTS. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; CONDITION: NORMAL

J M D Jones BM1

1200-1600 UNDERWAY AS BEFORE. 1204 C/C TO 011° 1224 COMMENCED SWINGING SHIP TO COMPENSATE MAGNETIC COMPASS 1300 SECURED SWINGING SHIP. 1347 COMMENCED EXERCISE Z-16-CC WITH USS HENRY COUNTY (LST 824) ON BASE COURSE 285 BASE SPEED 6 KNT. 1456 COMPLETED EXERCISE Z-10-CC. 1500 C/C TO 046° 1510 PUT NO. 2 + 4 GENERATORS IN LOOP SHIFTED CONTROL TO THE BRIDGE 1516 C/S TO ~~75 RPM~~ 9.5 KNTS 1543 C/C TO 335° 1550 C/C TO 336 STATIONED SPECIAL SEA DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENS HORTON HAS DECK AND CONN. 1555 PASSED BOUY NO. 2 ABEAM TO STBD. APROX. 100 FT. MANEUVERING ON VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL ~~1603 PASSED BOUY NO. 6 ABEAM TO STBD APROX. 200 FT CAPTAIN HAS THE CONN. MANEUVERING VARIOUS COURSES AND SPEEDS TO APPROACH BERTH ALPHA 3. 1614 MOORED STBD~~ LCH LCH LCH

LE Horton Ens USN.

1600-2000 UNDERWAY AS BEFORE. 1603 PASSED BOUY NO 6 ABEAM TO STBD APROX 200 FEET. CAPTAIN HAS THE CONN. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH BERTH ALPHA 3. 1614 MOORED STARBOARD SIDE TO BERTH ALPHA 3 US NAVAL BASE PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES. K19 SECURED SPECIAL SEA DETAIL. RECEIVING TELPHONE SERVICE AND FRESH WATER FROM PIER.

LE Horton Ens USN

2000-2400 MOORED AS BEFORE

LE Horton Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G L Walker 2 NC U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 15 (Date) SEPTEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	3	6	SCT	29.97	76	74	2	700	SC			
02	015	3	6	SCT	29.97	76	74	2	700	SC			
03	015	2	7	SCT	29.97	76	73	2	1050	CU			
04	015	1	7	SCT	29.97	76	73	2	1050	CU			
05	015	1	7	SCT	29.98	75	70	2	1750	CU			
06	015	1	7	SCT	29.98	75	70	2	1750	CU			
07	010	2	7	SCT	29.97	77	78	3	1750	CU			
08	005	2	7	SCT	29.96	80	74	3	2100	CU			
09	060	2	7	SCT	29.97	83	75	3	2800	CU			
10	290	3	7	SCT	29.98	86	75	3	3850	CC			
11	260	3	7	SCT	29.97	88	76	3	4900	CC			
12	030	5	7	SCT	29.97	89	77	2	4900	CI			
13	030	5	7	SCT	29.96	89	77	2	4900	CI			
14	030	5	7	SCT	29.96	86	76	2	3500	CC			
15	030	5	7	SCT	29.95	86	76	3	3500	CC			
16	030	5	7	SCT	29.95	85	75	4	3500	CC			
17	030	5	7	BKN	29.94	84	74	5	3500	CC			
18	030	5	7	BKN	29.94	84	74	6	3500	CC			
19	030	3	7	BKN	29.96	83	74	6	3150	CC			
20	030	3	6	BKN	29.96	82	74	6	2800	CU			
21	030	2	6	BKN	29.95	80	74	6	2100	CU			
22	030	1	6	BKN	29.95	79	74	7	1750	CU			
23	030	1	6	BKN	29.95	78	74	6	1400	CU			
24	030	1	6	BKN	29.95	78	74	6	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 7.0

FUEL CONSUMED 0000-2400: 814

REMARKS

00-04 MOORED STARBOARD SIDE TO ALPHA THREE US NAVAL BASE PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. CONDITION VOICE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNIT OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

LE Horton
Ens USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE

LE Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: A L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 15 (Date) SEPTEMBER (Month) 62

ØØ-12: MOORED AS BEFORE. Ø83Ø COMMENCED COMMANDING OFFICER'S MATERIEL INSPECTION. Ø915 HAS RE MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. Ø942 SECURED FROM COMMANDING OFFICER'S MATERIEL INSPECTION. Ø948 COMMENCED CAPTAIN'S PERSONNEL INSPECTION. 1ØØ7 SECURED FROM CAPTAINS PERSONNEL INSPECTION.

H C Swan, ENS, USNR.

12-16) MOORED AS BEFORE. 1215 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. DRAFT FWD 13'3", AFT 16'6". 123Ø SET THE SPECIAL SEA AND ANCHOR DETAIL. 1243 UNDERWAY FROM BERTH A-3 IN ACCORDANCE WITH VERBAL ORDERS OF PEARL HARBOR PORT CONTROL. CAPTAIN HAS THE CONN, NAVIGATOR ON THE BRIDGE. ENS HORTON HAS THE DECK. 1244 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL. 131Ø MANEUVERING AT VARIOUS COURSES AND SPEEDS TO COME ALONGSIDE USS WILHOITE (DER-397) AT BERTH F-1. 1318 MOORED PORTSIDE TO U.S.S. WILHOITE (DER-397) OUTBOARD OF U.S.S. FRONTIER (AD-25) AT BERTH F-1, FORD ISLAND NAVAL AIR STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED.

H C Swan, ENS, USNR

16-2Ø: MOORED AS BEFORE. SET MATERIAL CONDITION YOKE.

H C Swan, ENS, USNR

2Ø-24: MOORED AS BEFORE.

H C Swan, ENS, USNR

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: L L Walton Lt/6 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 16 SEPTEMBER (Date) (Month) , 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	1	6	BKN	29.98	78	74	6	1400	CU			
02	035	1	6	SCT	29.98	77	74	5	1050	CU			
03	035	1	6	SCT	29.97	77	74	5	1050	CU			
04	035	3	6	SCT	29.98	76	74	4	700	CU			
05	035	2	6	SCT	29.98	77	74	4	1050	CU			
06	040	2	7	SCT	29.98	77	75	4	700	CU			
07	040	4	7	SCT	29.98	78	75	5	1050	CU			
08	040	6	7	BKN	29.97	80	76	6	1400	CU			
09	035	7	7	BKN	29.97	81	76	6	1750	CU			
10	035	10	7	BKN	29.97	84	77	7	2450	CU			
11	040	9	7	BKN	29.97	88	79	7	3150	CC			
12	035	11	7	BKN	29.97	89	79	7	3500	CC			
13	035	8	7	BKN	29.97	89	79	8	3500	CC			
14	030	8	7	BKN	29.96	91	81	8	3500	CC			
15	025	5	7	BKN	29.96	91	84	7	2450	CU			
16	020	4	7	BKN	29.94	93	88	6	1400	CU			
17	020	3	7	SCT	29.94	90	86	5	1400	CU			
18	015	3	7	SCT	29.93	88	86	4	700	SC			
19	005	3	7	SCT	29.92	88	86	3	700	SC			
20	015	2	7	SCT	29.93	88	86	3	700	SC			
21	025	2	6	SCT	29.92	88	86	3	700	SC			
22	025	3	6	SCT	29.93	88	86	2	700	SC			
23	035	2	6	SCT	29.95	88	86	2	700	SC			
24	035	2	6	SCT	29.95	88	86	2	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 905

REMARKS

00-04: MOORED PORT SIDE TO USS WILLHOITE (DER-397) MOORED OUTBOARD OF USS FRONTIER (AD-25) AT BERTH F-1, U.S. ~~NAS~~ NAVAL AIR STATION, ~~FC~~ HKS FORD ISLAND, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE IS SET. RECEIVING STEAM and electric power FROM USS FRONTIER (AD-25) AND FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

[illegible], ENS, USNR.

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS; ABSENTEES: NONE.

[illegible], ENS, USNR.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: [illegible] LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 16 (Date) SEPTEMBER (Month), 19 62

08-12. Moored as before 1000 Made daily inspection of magazine and smokeless powder samples. Condition normal

J.E. Hoffey CWO U.S.N.

12-16 Moored as before.

J.E. Hoffey CWO U.S.N.

16-20 Moored as before. 1800 Set material condition "Yoke" 1835 Mustered ship's duty fire party; absentees none.

J.E. Hoffey CWO U.S.N.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: G. L. Walter LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 17 (Date) SEPTEMBER (Month) 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	035	2	6	SCT	29.95	86	80	3	1400	CU			
02	035	2	6	SCT	29.95	86	78	2	2100	CU			
03	040	2	6	SCT	29.95	87	76	2	2850	CU			
04	050	2	7	SCT	29.95	88	76	3	1400	CU			
05	050	2	7	SCT	29.95	89	77	3	1400	CU			
06	050	2	7	SCT	29.95	84	74	4	2500	CU			
07	050	2	7	SCT	29.96	80	75	5	1750	CU			
08	045	2	7	BKN	29.96	81	78	7	1050	CU			
09	045	2	6	BKN	29.97	83	79	8	1500	SC			
10	045	2	6	1	29.97	83	79	10	1500	ST			
11	050	3	6	OVC	29.97	84	80	9	1400	SC			
12	055	3	6	OVC	29.97	85	81	9	1400	SC			
13	055	4	6	OVC	29.96	84	79	9	1750	SC			
14	055	6	6	OVC	29.95	83	78	9	1750	SC			
15	055	6	6	OVC	29.95	83	78	9	1750	SC			
16	060	6	6	OVC	29.95	83	78	9	1750	SC			
17	060	6	6	BKN	29.96	82	77	7	1750	SC			
18	060	6	6	BKN	29.96	82	76	7	2100	SC			
19	060	6	6	BKN	29.96	81	76	7	1750	SC			
20	060	5	6	BKN	29.97	80	75	7	1750	SC			
21	065	4	6	BKN	29.97	80	75	7	1750	SC			
22	065	4	6	BKN	29.98	79	74	6	1750	SC			
23	070	3	6	BKN	29.98	79	74	6	1750	SC			
24	070	3	6	BKN	29.98	79	75	6	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 59

REMARKS

00-04. Moored Portside to U.S.S. Wilhoite (DER-397) with standard mooring lines in a nest of three ships. U.S.S. Wilhoite (DER-397) moored outboard to U.S.S. Frontier (AD-25) to ~~Portside~~ U.S.S. Frontier (AD-25) moored Portside to Berth F-1 at Ford Island, Pearl Harbor, Hawaii. Material Condition Yoke set. Receiving electrical power, fresh water, telephone service and steam from U.S.S. Frontier (AD-25). Ships present included various ship and Units of the U.S. Pacific Fleet. Ford and district craft. SOPA in Commanderon Chief U.S. Pacific Fleet.

J.A. Hoffey CWO USN.

04-08. Moored as before. 0745. Mustered Crew on station; absentee Port.

J.A. Hoffey CWO U.S.N

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: A.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 17 (Date) September (Month), 19 62

08-12 Moored as before. 1000 made daily inspection of magazine and smokeless powder samples. Conditions: normal.

R. L. Walker
LT/G USN

12-16 moored as before.

R. L. Walker
LT/G USN

16-20, Moored as before. 1800 Set Material Condition Yoke throughout the ship

R. L. Walker
LT/G USN

20-24 Moored as before

R. L. Walker
LT/G USN

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Tuesday (Day) 18 (Date) September (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	3	6	Sct	29.98	78	74	5	1400	CU			
02	030	2	6	Sct	29.98	78	74	5	1400	CU			
03	030	2	6	Sct	29.98	78	74	5	1400	CU			
04	030	2	6	Sct	29.96	78	73	4	1750	CU			
05	035	2	6	Sct	29.96	78	73	3	1750	CU			
06	035	2	6	Sct	29.96	79	74	3	1750	CU			
07	040	2	7	Sct	29.96	79	74	4	1750	CU			
08	055	4	7	Sct	29.98	80	75	5	1750	CU			
09	050	4	7	Sct	29.98	84	75	5	3150	CU			
10	050	5	7	Bkn	29.98	85	76	7	3150	CU			
11	050	5	7	Bkn	29.98	85	76	7	3150	CU			
12	050	5	7	Bkn	29.98	85	76	7	3150	CU			
13	050	8	7	Sct	29.97	87	76	4	3850	CU			
14	050	8	7	Sct	29.97	87	76	3	3850	CU			
15	050	8	7	Sct	29.96	86	76	3	3500	CU			
16	050	8	7	Sct	29.96	85	76	3	3150	CU			
17	050	8	7	Sct	29.96	85	76	3	3150	CU			
18	050	8	7	Sct	29.96	84	76	3	2800	CU			
19	050	8	7	Sct	29.96	83	75	3	2800	CU			
20	050	8	6	Sct	29.96	82	74	3	2800	CU			
21	050	6	6	Sct	29.96	81	73	3	2800	CU			
22	050	6	6	Sct	29.96	80	73	3	2450	CU			
23	050	6	6	Sct	29.96	79	73	3	2100	CU			
24	050	6	6	Sct	29.96	78	73	3	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 187

REMARKS

00-04 Moored port side to U.S.S. Whiddon (DER397) in nest of three ships at both F-1 U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. U.S.S. Frontier (AD-25) moored portside to pier, with U.S.S. Whiddon (DER-397) moored alongside to starboard. Material Condition Yoke is set throughout the ship. Receiving fresh water, ~~steam electric power~~, and telephone service from the pier. Receiving steam and electrical power from the Frontier. Ships present include various units of the U.S. Pacific Fleet and yard and district craft. SOPA is Cinc Pac Flt.

G. L. Walker
LTJG USN

04-08 Moved as before. 0725 Mustered the crew on stations; Absentees: none.

G. L. Walker
LTJG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 18 (Date) SEPTEMBER (Month), 19 62

0800-1200 MOORED AS BEFORE 0923 CAPTAIN DEPARTED TO MAKE OFFICIAL CALL ON COM SERV PAC. 1020 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL

J E Horton
Ens USN

1200-1600 MOORED AS BEFORE.

J E Horton
Ens USN

1600-2000 MOORED AS BEFORE. 1600 MUSTERED DUTY FIRE PARTY 1800 SET CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Ens USN

2000-2400 MOORED AS BEFORE

J E Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: L L Walker 2/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 19 (Date) September (Month), 19 62

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	6	6	Sct	29.97	78	73	3	1750	CU			
02	060	6	6	Sct	29.97	78	73	4	1750	CU			
03	060	6	6	Sct	29.97	78	73	4	1750	CU			
04	060	6	6	Sct	29.97	78	73	4	1750	CU			
05	060	6	6	Sct	29.98	79	73	3	2100	CU			
06	060	8	7	Sct	29.98	79	73	3	2100	CU			
07	060	8	7	Sct	29.98	79	73	3	2100	CU			
08	060	8	7	Sct	29.98	80	73	3	2450	CU			
09	060	8	7	Sct	29.98	82	74	3	2800	CU			
10	030	8	7	Sct	29.98	84	75	3	3150	CC			
11	030	8	7	Sct	29.98	85	75	3	3500	CC			
12	030	7	7	Sct	29.97	85	75	5	3500	CC			
13	035	8	7	Bkn	29.96	85	75	6	3500	CC			
14	035	9	7	Sct	29.94	86	75	4	3850	CC			
15	035	9	7	Sct	29.95	84	74	3	3500	CC			
16	035	9	7	Sct	29.95	84	74	3	3500	CC			
17	035	9	7	Sct	29.95	82	76	2	2100	CU			
18	035	9	7	Sct	29.96	79	76	2	1050	CU			
19	035	9	7	Sct	29.96	79	76	2	1050	CU			
20	010	9	6	Sct	29.97	78	76	1	700	CU			
21	015	9	6	Sct	29.97	78	76	1	700	CU			
22	015	8	6	Sct	29.94	77	75	1	700	SC			
23	020	5	6	Sct	29.94	76	74	2	700	SC			
24	020	4	6	Sct	29.95	76	74	2	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 87

REMARKS

00-04 Moored Port Side To Outboard of USS Wilhoite (DER-397) And USS Frontier (AD-25) At Berth Foxtrot One, Ford Island, Pearl Harbor, Hawaii With Standard Mooring Lines Doubled Receiving Steam, Electrical Power, Fresh Water And Telephone Services From The USS Frontier (AD-25). Condition Yoke Set Thru out The Ship. Ships Present Include Various Units of US Pacific Fleet, District And Yard Craft. SOPA is CinCPacFlt

J E Hooton
Ens USN

04-08 Moored As Before. 0740 Mustered Crew on Stations Absentees None.

J E Hooton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: [illegible] LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (HS ~~THURSDAY~~) 19 SEPTEMBER 19 62
(Day) (Date) (Month)

0800-1200: MOORED AS BEFORE. 0935 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. K. Swan, ENS, USNR

1200-1600: MOORED AS BEFORE.

W. K. Swan, ENS, USNR

1600-2000: MOORED AS BEFORE. 1750 MUSTERED IN-PORT FIRE PARTY. 1800 SET MATERIAL CONDITION YOKE.

W. K. Swan, ENS, USNR

2000-2400: MOORED AS BEFORE.

W. K. Swan, ENS, USNR

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LT(JG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 20 SEPTEMBER, 19 62
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	4	6	SCT	29.95	76	73	2	1050	CU			
02	085	3	6	SCT	29.95	76	73	3	1050	CU			
03	085	4	6	SCT	29.95	76	73	3	1050	CU			
04	030	5	6	SCT	29.96	77	72	4	1750	CU			
05	030	5	6	SCT	29.96	77	72	5	1750	CU			
06	035	5	6	SCT	29.96	77	72	5	1750	CU			
07	035	6	7	BKN	29.96	78	72	7	2100	CU			
08	035	6	7	BKN	29.97	79	73	8	2100	SC			
09	035	6	7	OVC	29.98	80	74	9	2100	SC			
10	035	6	7	OVC	29.98	82	75	9	2450	SC			
11	035	6	7	OVC	29.98	83	75	9	2800	SC			
12	035	10	7	RW	29.98	79	74	10	1750	SC			
13	035	10	7	RW	29.97	80	75	9	1750	SC			
14	035	10	7	RW	29.95	81	75	9	2100	SC			
15	035	10	7	RW	29.93	82	75	9	2450	SC			
16	035	9	7	OVC	29.94	82	75	9	2450	SC			
17	035	9	7	OVC	29.95	81	74	9	2450	SC			
18	035	9	7	RW	29.96	81	74	9	2450	SC			
19	035	9	7	RW	29.97	80	74	9	2100	SC			
20	040	7	6	RW	29.98	79	73	9	2100	SC			
21	040	4	6	RW	29.98	77	72	9	1750	SC			
22	040	4	6	L	29.98	77	72	10	1750	ST			
23	040	4	6	BKN	29.98	79	73	9	2100	SC			
24	040	5	6	BKN	29.98	79	73	8	2100	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 97

REMARKS

00-04: MOORED PORTSIDE TO U.S.S. WILHOITE (DER-397) MOORED OUTBOARD OF U.S.S FRONTIER (AD-35) AT BERTH F-1, FORD ISLAND NAVAL AIR STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING STEAM AND ELECTRIC POWER FROM U.S.S FRONTIER (AD-35) AND ~~ELECTRIC POWER &~~ FRESH WATER ~~&~~ AND TELEPHONE SERVICES FROM THE PIER. NKP SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. F. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0750 COMMENCED CAPTAIN'S PERSONNEL INSPECTION. 0800 SECURED FROM CAPTAIN'S PERSONNEL INSPECTION.

W. F. Swan, ENS, USNR.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt J/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP FABAKI (ATF-96) THURSDAY 29 SEPTEMBER 62
(Day) (Date) (Month)

08-12. Moored as before. 1010 Made daily inspection of magazine and smokeless powder samples. Condition normal.

J.A. Hoffey CWO USN.

12-16. Moored as before.

J.A. Hoffey CWO USN.

16-20 Moored as before. 1755 Mustered duty section party and provided; Absentee none. 1800 Set material condition Yoke.

J.A. Hoffey CWO USN.

20-24. Moored as before

J.A. Hoffey CWO USN.

APPROVED:

C.C. Reed U.S.N. COMMANDING

EXAMINED:

A.L. Walker 2d/c U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS FABNARI (APTF-96) ZONE DESCRIPTION +10 DATE ~~THURSDAY 20~~ Friday 21 (Day) (Date) SEPTEMBER (Month) 19 62

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	4	6	SCT	29.97	78	72	4	2100	CU			
02	045	5	6	SCT	29.96	78	72	4	2100	CU			
03	040	4	6	SCT	29.95	78	72	4	2100	CU			
04	040	4	6	SCT	29.95	78	72	4	2100	CU			
05	045	3	6	SCT	29.94	79	73	5	2100	CU			
06	045	3	7	SCT	29.94	79	74	5	1750	CU			
07	055	3	7	BKN	29.93	79	75	6	1400	CU			
08	055	8	7	BKN	29.95	80	74	6	2100	CU			
09	055	8	7	BKN	29.97	80	74	7	2100	CU			
10	035	9	7	BKN	29.97	82	74	7	2500	CU			
11	020	11	7	BKN	29.97	84	75	7	3150	CU			
12	020	11	7	BKN	29.95	84	75	7	3150	CU			
13	020	11	7	BKN	29.94	84	75	6	3150	CU			
14	015	13	7	BKN	29.92	84	74	6	3500	CU			
15	020	19	7	BKN	29.92	85	75	6	3500	CU			
16	020	17	7	BKN	29.91	87	77	6	3500	CU			
17	020	15	7	SCT	29.91	85	75	5	3500	CU			
18	025	15	7	SCT	29.92	83	74	5	3150	CU			
19	025	12	7	SCT	29.93	82	74	4	2800	CU			
20	020	9	6	SCT	29.93	80	73	3	2450	CU			
21	020	9	6	SCT	29.91	80	73	3	2450	CU			
22	020	6	6	SCT	29.91	79	73	3	2100	CU			
23	025	3	6	SCT	29.92	79	73	3	2100	CU			
24	025	3	6	SCT	29.92	79	73	3	2100	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. Moored Port side to U.S.S. Wilhoite (DER-397) with standard mooring lines in a nest of three ships. U.S.S. Wilhoite (DER-397) outboard to the to U.S.S. Frontier (AD-25). U.S.S. Frontier (AD-25) moored Port side to Berth F-1 at Ford Island, Pearl Harbor, Hawaii. Material Condition Yoke set. Receiving following service from U.S.S. Frontier (AD-25) Electrical Power, ~~Telephone service, fresh water~~ and steam. Ships present include various ships and units of the U.S. Pacific Fleet, Yard and district Craft, 5th P.A. is ~~Commanding Chief U.S. Pacific Fleet~~ Cinc Pac Fleet. Receiving fresh water and telephone service from the pier. J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0725 Manned Quarters on station Quarters; none. J.E. Hoffey CWO U.S.N.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: A.L. Walker 2/1/66 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday ~~Thursday~~ (Day) 21 (Date) September (Month) 19 62

08-12 Moored as before 1650 Made daily inspection of magazines and smokeless powder samples; Condition: normal. Made weekly test of magazine sprinkling system; Condition: satisfactory.

R. L. Walker
Lt JG USN

12-16 Moored as before.

R. L. Walker
Lt JG USN

16-20 Moored as before. 1800 Set Condition Yoke throughout the ship.

R. L. Walker
Lt JG USN

20-24 Moored as before

R. L. Walker
Lt JG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt JG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday 22 September 19 62
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	095	3	6	SCT	29.92	79	75	3	2100	CU			
02	095	3	6	SCT	29.92	79	74	3	1750	CU			
03	095	2	6	SCT	29.93	79	75	2	1400	SC			
04	090	2	6	SCT	29.94	79	76	2	1050	SC			
05	090	2	6	SCT	29.94	79	76	2	1050	SC			
06	015	2	6	SCT	29.94	81	78	2	1050	SC			
07	090	2	7	SCT	29.95	82	79	2	1050	SC			
08	090	5	7	SCT	29.96	82	76	5	2100	SC			
09	095	7	7	BKN	29.96	82	74	7	2700	CU			
10	095	10	7	SCT	29.96	83	75	5	2800	CU			
11	095	15	7	SCT	29.96	85	75	5	3500	CU			
12	095	15	7	SCT	29.96	85	75	4	3500	CC			
13	095	15	7	SCT	29.95	86	76	4	3500	CC			
14	095	13	7	SCT	29.94	86	76	4	3500	CC			
15	095	15	7	SCT	29.93	86	76	4	3500	CC			
16	090	15	7	SCT	29.93	85	75	5	3500	CC			
17	090	13	7	SCT	29.93	85	75	5	3500	CC			
18	090	13	7	SCT	29.93	85	75	5	3500	CC			
19	095	14	6	SCT	29.93	85	75	5	3500	CC			
20	030	14	6	SCT	29.93	85	75	4	3500	CC			
21	030	13	6	SCT	29.93	85	75	4	3500	CU			
22	030	9	6	SCT	29.93	83	74	3	3150	CU			
23	095	6	6	SCT	29.94	81	74	3	2450	CU			
24	095	4	6	SCT	29.94	80	74	3	2100	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored portside to U.S.S. Wilhite (DER-397) in a nest of three ships with U.S.S. Frontier (AD-25) moored portside to the pier at berth F-1 U.S. Naval Station Pearl Harbor, Hawaii with all ships having standard mooring lines doubled. Receiving freshwater and telephone service from the pier and electrical power and steam services from the Frontier. Material Condition Yoke is set throughout the ship. Ship present available units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cine Pac Flt.

R. L. Walker
LtJG USN

04-08 Moored as before. ~~0750~~ 0725 Manned the lines on stations; Weather is same.

R. L. Walker
LtJG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAK - ATF96 SATURDAY (Day) 22 (Date) SEPTEMBER (Month) 62

0800-1200 MOORED AS BEFORE 1117 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL

J E Horton
Ens USN

1200-1600 MOORED AS BEFORE.

J E Horton
Ens USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE THRU OUT SHIP.

J E Horton
Ens USN

2000-2400 MOORED AS BEFORE

J E Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION 10 DATE SUNDAY (Day) 23 (Date) SEPTEMBER (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	3	6	SCT	29.94	82	74	3	2500	CU			
02	030	3	6	SCT	29.94	79	73	3	2100	CU			
03	030	4	6	SCT	29.94	78	73	3	1750	CU			
04	035	5	6	SCT	29.96	77	72	4	1750	CU			
05	035	5	6	SCT	29.96	76	72	4	1400	CU			
06	035	5	6	SCT	29.96	77	72	5	1750	SC			
07	035	5	7	BKN	29.96	77	72	6	1750	SC			
08	035	8	7	BKN	29.97	80	73	6	2450	SC			
09	035	8	7	BKN	29.97	82	74	6	2500	CU			
10	035	10	7	BKN	29.97	84	75	7	3150	CU			
11	035	10	7	BKN	29.98	86	77	7	3150	CU			
12	035	13	7	BKN	29.98	87	77	7	3500	CU			
13	030	12	7	BKN	29.98	87	77	7	3500	CU			
14	030	16	7	BKN	29.98	88	78	7	3500	CU			
15	030	14	7	BKN	29.98	88	79	6	3150	CU			
16	030	14	7	BKN	29.98	87	78	6	3150	CU			
17	025	12	7	BKN	29.98	85	77	6	2500	CU			
18	025	9	7	BKN	29.98	83	76	6	2450	CU			
19	025	11	7	BKN	29.98	82	75	6	2450	CU			
20	030	10	7	SCT	29.97	80	74	5	2100	CU			
21	030	7	6	SCT	29.96	80	74	5	2100	CU			
22	015	6	6	SCT	29.95	79	74	3	1750	CU			
23	015	4	6	SCT	29.94	79	73	3	2100	CU			
24	015	3	6	SCT	29.93	78	73	3	1750	CU			

POSITION	ZONE	TIME
0800		
L ____		BY ____
λ ____		BY ____
1200		
L ____		BY ____
λ ____		BY ____
2000		
L ____		BY ____
λ ____		BY ____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM ____ (ZT) (Date)

TO ____ (ZT) (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

SEN 0000-0004 MOORED PORT SIDE TO OUTBOARD USS WILHOITE (DER 397) AND USS FRONTIER (AD-25) AT BERTH FOXTROT ONE FORD ISLAND, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING STEAM, ELECTRICAL POWER, ~~FRESH WATER AND TELEPHONE~~ SERVICE FROM USS FRONTIER (AD-25). CONDITION YOKE SET THRU N OUT SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINC PAC FLT. RECEIVING FRESH WATER and telephone services from the pier N

J E Horton
ENS USN

0004-0800 MOORED AS BEFORE.

J E Horton
ENS USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: J. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 23 (Date) SEPTEMBER (Month) 62

ØØ8-12: MOORED AS BEFORE. ØØØØ MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. Ø92Ø MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W K Swan, ENS, USNR

12-16: MOORED AS BEFORE.

W K Swan, ENS, USNR

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE.

W K Swan, ENS, USNR

2Ø-24: MOORED AS BEFORE.

W K Swan, ENS, USNR.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 24 (Date) SEPTEMBER (Month) 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	9	6	BKN	29.93	77	74	6	1050	CU			
02	090	9	6	SCT	29.93	77	74	5	1050	CU			
03	090	1	6	SCT	29.93	77	74	5	1050	CU			
04	090	1	6	SCT	29.93	76	74	5	1050	CU			
05	090	1	6	SCT	29.95	76	73	4	1050	CU			
06	090	3	6	SCT	29.95	77	73	4	1400	CU			
07	090	5	7	SCT	29.96	78	74	4	1400	CU			
08	090	7	7	SCT	29.99	81	76	4	1750	CU			
09	090	8	7	SCT	30.00	84	78	4	2100	CU			
10	090	9	7	SCT	30.00	85	78	3	2450	CU			
11	090	10	7	SCT	29.99	85	78	5	2450	CU			
12	090	10	7	SCT	29.98	86	78	4	2800	CU			
13	090	10	7	SCT	29.97	86	78	4	2800	CU			
14	090	10	7	SCT	29.96	86	78	4	2800	CU			
15	095	10	7	SCT	29.95	85	78	3	2450	CU			
16	095	10	7	SCT	29.94	85	78	3	2450	CU			
17	095	9	7	SCT	29.94	85	78	3	2450	CU			
18	095	12	7	SCT	29.94	84	78	3	2100	CU			
19	095	11	7	SCT	29.95	83	77	3	2100	CU			
20	095	9	6	SCT	29.95	83	76	2	2450	CU			
21	095	8	6	SCT	29.96	82	76	2	2100	CU			
22	095	8	6	SCT	29.96	80	75	2	1750	CU			
23	095	6	6	SCT	29.96	79	75	2	1400	CU			
24	095	4	6	SCT	29.97	79	75	2	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04: MOORED PORT SIDE TO USS WILLHOITE (DER-397) MOORED OUTBOARD OF USS FRONTIER (AD-25) AT BERTH F-1, FORD ISLAND NAVAL AIR STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING STEAM AND ELECTRIC POWER FROM USS FRONTIER (AD-25) AND FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H K Swan, ENS. USNR

04-08: MOORED AS BEFORE. 0740. MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H K Swan, ENS. USNR

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: [illegible] 24/9/62 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 24 (Date) SEPTEMBER (Month) 62

08-12. Moored as before. 1025 Made daily injection of magazine temperatures and smokeless powder samples. Condition Normal.

J.E. Hoffey CWO U.S.N.

12-16. Moored as before

J.E. Hoffey CWO U.S.N.

16-20. Moored as before. 1800 Set material condition Yoke.

J.E. Hoffey CWO U.S.N.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: L.L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 25 SEPTEMBER 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	4	6	SCT	29.97	78	75	4	1050	CU			
02	085	3	6	SCT	29.97	78	75	4	1050	CU			
03	085	3	6	SCT	29.97	79	75	4	1400	CU			
04	085	5	6	SCT	29.96	79	74	4	1750	CU			
05	085	5	6	SCT	29.96	80	74	5	2100	CU			
06	085	4	6	SCT	29.96	82	75	5	2450	CU			
07	030	5	7	SCT	29.95	83	75	5	2800	CU			
08	030	3	7	SCT	29.96	84	76	5	2800	CU			
09	030	6	7	SCT	29.96	84	76	5	2800	CU			
10	030	7	7	BKN	29.98	85	76	6	3150	CU			
11	030	10	7	BKN	29.98	86	76	6	3500	CU			
12	030	13	7	BKN	29.97	87	77	6	3500	CC			
13	030	9	7	BKN	29.97	88	78	6	3500	CC			
14	030	10	7	BKN	29.96	88	78	6	3500	CC			
15	030	11	7	BKN	29.96	89	78	7	3850	CI			
16	030	9	7	BKN	29.96	88	78	7	3500	CC			
17	085	8	7	BKN	29.97	88	78	7	3500	CC			
18	085	8	7	BKN	29.97	87	77	6	3500	CC			
19	085	5	7	SCT	29.98	85	77	5	2800	CU			
20	085	5	6	SCT	29.98	82	76	5	2100	CU			
21	080	3	6	SCT	29.99	81	76	4	1750	CU			
22	080	3	6	SCT	29.99	80	76	3	1400	CU			
23	080	3	6	SCT	30.00	79	75	3	1400	CU			
24	080	2	6	SCT	30.01	79	75	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 50

REMARKS

00-04. Moored Port side to U.S.S. Wilhoite (DER-397) with standard mooring lines in a nest of three ships. U.S.S. Wilhoite (DER-397) outboard to Abd to U.S.S. Frontier (AD-25). U.S.S. Frontier (AD-25) moored Port side to Berth F-1 at Ford Island Pearl Harbor, Hawaii. Material Condition Yoke, Receiving following service from U.S.S Frontier (AD-25) Electrical Power, ~~Telephone service, fresh water~~ and steam. Ships present include various ships and units of the U.S. Pacific Fleet. Yard and district Comft. SOPA. is ~~Commanding~~ Chief of Staff Pacfloo is ~~Fleet~~. Cinc Pac Flt. Receiving fresh water and telephone service ~~w~~ from the pier.

J.A. Hoffey Cwo U.S.N.

04-08. Moored as before. 0725. Mustered Crew on station Absentees; none.

J.A. Hoffey Cwo U.S.N.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: [illegible] LT JG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 25 (Date) September (Month), 19 62

0800-1200 Moored as before. 0940 Received Pilot aboard Capt. R. J. Wilson. 1000 Underway with engineering plant secured, YTM 742 and an LCM alongside for treating-out ebolutes. 1035 Moored portside to U.S.S. Jenkins (DDE 447) in a nest of four ships with standard mooring lines fore and aft at berth F-1, U.S. Naval Station Pearl Harbor, Hawaii. 1040 Pilot departed the ship. 1100 Made daily inspection of magazines and smokeless powder samples; Conditions: normal.

R. L. Walker
LTJG USN

1200-1600 Moored as before.

R. L. Walker
LTJG USN

1600-2000 Moored as before. 1800 Set Material Condition Yoke throughout the ship.

R. L. Walker
LTJG USN

2000-2400 Moored as before.

R. L. Walker
LTJG USN

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 26 (Date) September (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	3	6	SCT	30.00	78	75	3	1050	CU			
02	080	3	6	SCT	29.99	77	74	3	1050	CU			
03	080	3	6	SCT	29.98	77	73	3	1400	CU			
04	015	4	6	SCT	29.97	76	72	4	1400	CU			
05	015	4	6	SCT	29.97	76	72	4	1400	CU			
06	015	5	6	SCT	29.98	78	73	5	1750	CU			
07	015	5	7	SCT	29.98	78	73	5	1750	CU			
08	015	2	7	BKN	29.99	81	75	6	2100	CU			
09	080	5	7	BKN	30.00	85	77	6	2800	CU			
10	080	5	7	BKN	30.00	85	77	6	2800	CU			
11	080	6	7	L	30.00	86	76	10	3500	CU			
12	080	7	7	L	30.00	87	77	10	3500	CU			
13	080	8	7	BKN	29.99	86	78	9	3500	CU			
14	080	6	7	BKN	29.98	86	78	9	2800	CU			
15	085	10	7	BKN	29.96	87	77	7	3500	CU			
16	085	10	7	BKN	29.96	85	76	7	3150	CU			
17	030	13	7	BKN	29.97	84	76	8	2800	CU			
18	085	15	7	BKN	29.98	84	75	8	3150	CU			
19	085	12	7	BKN	29.99	88	75	8	2450	CU			
20	085	9	6	BKN	29.99	80	75	8	1750	CU			
21	085	6	6	BKN	29.99	79	75	7	1400	CU			
22	085	6	6	BKN	30.00	79	75	7	1400	CU			
23	085	3	6	BKN	30.00	78	74	7	1400	CU			
24	085	2	6	BKN	30.00	78	73	6	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 78

REMARKS

00-04 Moored port side to U.S.S. Jenkins (DDE 447) in a nest of four ships with U.S.S. Frontier (AD-25) moored starboard side to the pier, U.S.S. Wilhoite (DER-397) moored portside to Frontier and Jenkins moored portside to Wilhoite, at berth F-1, U.S. Naval Station Pearl Harbor, Hawaii with all ships having standard mooring lines doubled. Receiving fresh water and telephone service from the pier and electrical power and steam from the Frontier. Material Condition Yoke is set throughout the ship. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cen Pac Flt.

D. L. Walker
LTJG USN

04-08 Moored as before. 0730 Mustered the crew at quarters; Absentees: none

D. L. Walker
LTJG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: D. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 26 (Date) SEPTEMBER (Month) 19 62

0800-1200 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL.

J E Horton
ENS USN

1200-1600 MOORED AS BEFORE. 1410 CARLILE, JAMES C. 350-05-83 SFM3 USN CUT LEFT HAND WHILE WORKING ON USS ABNAKI (ATF96). PATIENT WAS REFERRED TO USS FRONTIER (AD-25) FOR TREATMENT. RETURNED TO DUTY. NO MISCONDUCT.

J E Horton
ENS USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE THRU OUT SHIP.

J E Horton
ENS USN

2000-2400 MOORED AS BEFORE

J E Horton
ENS USN.

APPROVED:

C Reed U.S.N. COMMANDING

EXAMINED:

R. L. Walker 2416 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 10 DATE THURSDAY (Day) 27 (Date) SEPTEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ Jct US PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	095	2	6	SCT	30.00	78	72	5	2100	CU			
02	095	2	6	SCT	30.00	78	72	5	2100	CU			
03	095	2	6	SCT	30.00	77	71	5	2100	CU			
04	090	2	6	BKN	30.00	77	71	6	2100	CU			
05	090	2	6	BKN	30.00	78	72	6	2100	CU			
06	090	2	6	BKN	30.00	78	72	6	2100	CU			
07	015	4	7	BKN	30.00	79	73	7	2100	CU			
08	015	4	7	BKN	30.00	80	74	7	2100	CU			
09	090	9	7	BKN	30.00	81	74	8	2450	CU			
10	090	12	7	BKN	30.00	83	74	8	3150	CU			
11	090	14	7	BKN	30.00	85	75	7	3500	CU			
12	090	14	7	BKN	29.99	85	75	7	3500	CU			
13	090	9	7	SCT	29.98	84	74	5	3500	CC			
14	030	17	7	SCT	29.97	86	75	5	3850	CI			
15	030	10	7	SCT	29.96	86	75	4	3850	CI			
16	035	10	7	SCT	29.95	85	75	4	3500	CC			
17	035	10	7	SCT	29.95	85	75	4	3500	CC			
18	035	9	7	SCT	29.96	81	73	4	2800	CU			
19	030	7	7	SCT	29.96	81	73	4	2800	CU			
20	030	7	6	SCT	29.97	80	73	3	2450	CU			
21	030	5	6	SCT	29.97	80	73	3	2800	CU			
22	095	3	6	SCT	29.97	79	73	3	2100	CU			
23	095	3	6	SCT	29.98	78	73	3	1750	CU			
24	095	2	6	SCT	29.98	77	73	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 34

REMARKS

0000-0400 MOORED PORT SIDE TO USS JENKINS (DD 447), OUT BOARD OF USS JENKENS (DD 447), USS WILHOIT (DER-397) AND USS FRONTIER (AD-25) IN BERTH FOXTROT ONE FORD ISLAND, PEARL HARBOR. HAWAII. RECEIVING STEAM, ELECTRICIAL POWER, FRESH WATER AND TELEPHONE SERVICE FROM USS FRONTIER (AD-25). SHIPS PRESENT INCLUDE VARIOUS UNITS U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT. MATERIAL CONDITION YOKE SET THRU OUT SHIP

J E Horton
ENS USN

0400-0800. MOORED AS BEFORE. 0740 MUSTERED CREW AT QUARTERS. COMMENCED COMMANDING OFFICERS PERSONNEL INSPECTION. ABSENTEES NONE. 0800 Secured from Personnel Inspetion

J E Horton
ENS USN.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: A. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY ~~FRIDAY~~ (Day) 27 (Date) SEPTEMBER (Month) 62

ØØ-12: MOORED AS BEFORE. 1100 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. K. SWAN, ENS, USNR

12-16: MOORED AS BEFORE.

W. K. SWAN, ENS, USNR

16-20: MOORED AS BEFORE. 1751 MUSTERED THE DUTY FIRE PARTY. 1800 SET MATERIAL CONDITION YOKE.

W. K. SWAN, ENS, USNR

20-24: MOORED AS BEFORE.

W. K. SWAN, ENS, USNR

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker 2456 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 28 (Date) SEPTEMBER (Month) 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	3	6	SCT	29.98	77	73	5	1400	CU			
02	085	3	6	SCT	29.98	76	72	5	1400	CU			
03	080	2	6	BKN	29.98	76	72	6	1400	CU			
04	080	2	6	BKN	29.98	75	72	7	1050	CU			
05	080	2	6	BKN	29.99	75	72	7	1050	CU			
06	085	2	7	BKN	29.99	75	72	7	1050	CU			
07	035	2	7	BKN	29.98	76	71	7	1750	CU			
08	050	3	7	BKN	29.98	79	73	7	2100	CU			
09	060	4	7	BKN	30.00	83	73	8	3500	CU			
10	060	4	7	BKN	30.00	84	73	7	3850	CI			
11	065	5	7	BKN	30.00	85	74	7	3850	CI			
12	070	7	7	BKN	29.99	83	73	8	3500	CC			
13	070	9	7	BKN	29.98	81	71	8	3500	CC			
14	070	12	7	SCT	29.98	82	72	5	3500	CC			
15	070	14	7	SCT	29.98	84	73	5	3850	CC			
16	070	11	7	SCT	29.97	85	75	3	3500	CC			
17	070	8	7	SCT	29.97	83	74	3	3150	CU			
18	070	5	7	SCT	29.97	81	74	3	2450	CU			
19	070	5	7	SCT	29.96	79	74	3	1750	CU			
20	070	3	6	SCT	29.96	77	72	3	1750	CU			
21	070	2	6	SCT	29.97	77	72	3	1750	CU			
22	070	2	6	SCT	29.98	77	72	3	1750	CU			
23	070	1	6	SCT	29.98	77	72	3	1750	CU			
24	070	1	6	SCT	29.98	76	72	3	1400	CU			

POSITION	ZONE	TIME
0800		
L ____	BY	____
λ ____	BY	____
1200		
L ____	BY	____
λ ____	BY	____
2000		
L ____	BY	____
λ ____	BY	____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) (Date)

TO ____ (ZT) (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04: MOORED PORT SIDE TO USS JENKINS (DDE-447) MOORED OUTBOARD OF USS WILHOITE (DER-397) AND USS FRONTIER (AD-25) AT BERTH F-1, FORD ISLAND NAVAL AIR STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING STEAM AND ELECTRIC POWER FROM USS FRONTIER (AD-25) AND FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. L. WOM. ENS. USNR

04-08: MOORED AS BEFORE. 0720 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W. L. WOM, ENS, USNR.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G. L. Walker 4456 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HOBAKI (ATF-96) FRIDAY (Day) 28 (Date) SEPTEMBER (Month) 19 62

08-12. Moored as before. 0800 Commenced preparations for getting underway 0818 Stationed the special sea detail 0834 Underway from along side U.S.S. Jenkins (DDE-447) to Berth (B-8) 7 A W verbal orders from Port Central. Maneuvering to clear along side Captain Canning, Navigator on the bridge. 0835. Steering various courses at various speeds to Conform with Pearl Harbor South Channel to go along side of Berth B-8 Pearl Harbor Naval Ship yard 0858 Moored Starboard side to Berth B-8. 0910 Secured special sea detail. set inport watch. 0945 Made daily inspection of magazine and smokeless powder samples; Condition normal. Made weekly test of magazine sprinkling and flooding system; Condition satisfactory.

J.G. Hoffey CWO USN.

12-16. Moored as before. 1300 shifted to Starboard power and Services from pier.

J.G. Hoffey CWO USN.

16-20 Moored as before. 1630 Mustered duty fire party 1635. Held fire drill in Compartment C-202-L 1655 Secured from fire drill. 1800 Set material Condition Yoke.

J.G. Hoffey CWO USN

20-24. Moored as before.

J.G. Hoffey CWO USN.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 29 SEPTEMBER 62
(Day) (Date) (Month) 19

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	075	3	6	SCT	29.97	76	72	3	1400	CU			
02	080	3	6	SCT	29.96	76	72	3	1400	CU			
03	080	3	6	SCT	29.95	75	71	4	1400	CU			
04	085	3	6	SCT	29.94	75	70	4	1750	CU			
05	085	3	6	SCT	29.94	75	70	4	1750	CU			
06	085	3	6	SCT	29.95	75	71	4	1400	CU			
07	085	1	7	SCT	29.96	83	74	4	3150	CU			
08	085	1	7	SCT	29.97	84	74	4	3500	CU			
09	085	4	7	SCT	29.98	84	74	3	3500	CU			
10	085	2	7	SCT	29.98	85	75	3	3500	CC			
11	070	6	7	SCT	29.97	87	77	4	3500	CC			
12	080	4	7	SCT	29.96	88	78	4	3500	CC			
13	080	4	7	SCT	29.95	88	78	4	3500	CC			
14	085	5	7	SCT	29.94	88	78	4	3500	CC			
15	085	5	7	SCT	29.93	87	77	4	3500	CC			
16	085	5	7	SCT	29.93	85	76	4	3150	CC			
17	090	4	7	SCT	29.93	83	73	4	3500	CC			
18	090	4	7	SCT	29.93	80	71	4	3150	CC			
19	090	3	7	SCT	29.93	79	69	3	3500	CC			
20	090	1	6	SCT	29.95	77	71	3	2100	CU			
21	090	1	6	SCT	29.96	77	71	3	2100	CU			
22	090	1	6	SCT	29.97	77	71	3	2100	CU			
23	090	1	6	SCT	29.98	77	71	3	2100	CU			
24	090	1	6	SCT	29.98	77	71	3	2100	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to Berth B-8 Pearl Harbor Naval Ship Yard. with standard mooring lines doubled up. Material Condition Yoke Set. Receiving the following services from the pier, Electrical power, Flushing water, Steam and telephone service. Ship present various ships and units of the U.S. Pacific Fleet, Yard and district craft. S.O.P.A. is Commanding Officer U.S. Pacific Fleet.

J.E. Hoffey CWO U.S.N.

04-08 Moored as before. 0725 Mustered duty sections on station; absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: C.C. Reed U.S.N. COMMANDING

EXAMINED: E.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 29 (Date) September (Month), 19 62

08-12 Moored as before. 1400 Made daily inspection of magazine and smokeless powder sample; Condition: normal.

R. L. Walker
LtJG USN

12-16 Moored as before.

R. L. Walker
LtJG USN

16-20 Moored as before. 1800 Set Material Condition Yoke throughout the ship.

R. L. Walker
LtJG USN

20-24 Moored as before.

R. L. Walker
LtJG USN

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 710 DATE Sunday (Day) 30 (Date) September (Month), 19 62

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	1	6	SCT	29.97	77	71	3	2100	CU			
02	085	1	6	SCT	29.95	77	71	3	2100	CU			
03	080	1	6	SCT	29.95	77	71	3	2100	CU			
04	075	3	6	SCT	29.95	77	71	3	2100	CU			
05	070	5	6	SCT	29.95	78	72	3	2100	CU			
06	070	3	6	SCT	29.96	80	73	4	2450	CU			
07	065	5	7	SCT	29.96	80	74	4	2100	CU			
08	065	7	7	SCT	29.96	80	75	4	1750	CU			
09	065	7	7	SCT	29.96	80	74	4	2100	CU			
10	070	7	7	SCT	29.96	80	73	4	2450	CU			
11	070	11	7	SCT	29.96	80	71	4	3150	CU			
12	070	10	7	SCT	29.97	81	71	3	3500	CU			
13	070	13	7	SCT	29.96	80	72	3	2800	CU			
14	065	10	7	SCT	29.94	80	71	3	3150	CU			
15	065	10	7	SCT	29.94	80	72	3	2800	CU			
16	065	9	7	SCT	29.95	80	72	3	2800	CU			
17	065	9	7	SCT	29.95	82	73	4	3150	CU			
18	065	7	7	SCT	29.95	84	74	4	3500	CU			
19	065	5	7	SCT	29.96	83	73	3	3500	CU			
20	070	4	6	SCT	29.96	81	72	3	3150	CU			
21	070	3	6	SCT	29.96	79	72	3	2450	CU			
22	070	3	6	SCT	29.96	79	72	2	2450	CU			
23	070	3	6	SCT	29.96	78	73	2	1750	CU			
24	070	3	6	SCT	29.96	78	73	2	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth B-8 U. S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled to the pier. Material Condition Yoke is set throughout the ship. Receiving freshwater, electrical power ~~and steam~~ W and telephone service from the pier. Ships present include units of the U. S. Pacific Fleet and various yard craft. SOPA is Com Sea Flt.

R. L. Walker
Lt JG USN

04-08 Moored as before. 0750 Mustered the crew at stations; Attention: none.

R. L. Walker
Lt JG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt JG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96. SUNDAY (Day) 30 (Date) SEPTEMBER (Month), 19 62

0800-1200. MOORED AS BEFORE. 1107 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

H E Horton
Ens USN

1200-1600 MOORED AS BEFORE

H E Horton
Ens USN

1600-2000. MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE THRU OUT SHIP.

H E Horton
Ens USN

2000-2400 MOORED AS BEFORE.

H E Horton
Ens USN.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: A L Walker Lt/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 10 DATE MONDAY (Day) 1 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR